


Let Us Offer You More Energy Solutions Today

Camelion has provided consumer friendly solutions for customers worldwide for over 17 years. Our customers have been consistently satisfied with our quality, prices and attention to detail. We offer a broad range of energy solutions. Try us out today.

2015



- North America**
 - Canada
 - U. S. A
- Caribbean/ Latin America**
 - Argentina
 - Brazil
 - Bolivia
 - Chile
 - Colombia
 - Costa Rica
 - Cuba
 - Dominica
 - Ecuador
 - EL Salvador
 - Guatemala
 - Haiti
 - Mexico
 - Nicaragua
 - Panama
 - Paraguay
 - Peru
 - Puerto Rico
 - Trinidad and Tobago
 - Uruguay
 - Venezuela
- Middle East /Africa**
 - Algeria
 - Benin
 - Egypt
 - Iran
 - Israel
 - Kuwait
 - Lebanon
 - Sierra Leone
 - Saudi Arabia
 - Syria
 - S. Africa
 - Tunisia
 - U.A.E.
 - Uganda
- Europe**
 - Austria
 - Albania
 - Andorra
 - Belarus
 - Belgium
 - Bosnia
 - Bulgaria
 - Czech Republic
 - Croatia
 - Cyprus
 - Denmark
 - Estonia
 - Finland
 - France
 - Germany
 - Georgia
 - Greece
 - Hungary
 - Iceland
 - Ireland
 - Italy
 - Latvia
 - Lithuania
 - Luxembourg
 - Macedonia
 - Malta
 - Netherland
 - Norway
 - Portugal
 - Poland
 - Romania
 - Russia
 - Serbia
 - Slovakia
 - Slovenia
 - Spain
 - Sweden
 - Switzerland
 - Turkey
 - United Kingdom
 - Ukraine
- Asia**
 - Afghanistan
 - Armenia
 - Azerbaijan
 - Bangladesh
 - Cambodia
 - China
 - Hong Kong
 - Indonesia
 - India
 - Iraq
 - Japan
 - Jordan
 - Korea
 - Kazakhstan
 - Lao
 - Malaysia
 - Pakistan
 - Philippines
 - Singapore
 - Sri Lanka
 - Taiwan
 - Thailand
 - Turkmenistan
 - Vietnam
 - Yemen
- Oceania**
 - Australia
 - Fiji
 - New Zealand



Product Catalogue

EUROPE HEAD OFFICE / WAREHOUSE
 Camelion Batterien GmbH.
 Bergiusstr. 53-59, D - 12057 Berlin,
 Germany

For more information visit www.camelion.com
 Copyright ©2015 Batterien GmbH, All rights reserved.

CA-2015GB

www.camelion.com

Camelion®
 More Energy Solutions



Camelion offers a wide range of

high quality products to give the consumer


More Energy Solutions

and extraordinary value for their electronic equipments.

Try us out today!

- **Primary Batteries**
- **Rechargeable Batteries and Chargers**
- **Flashlights and Lanterns**
- **Power Supplies**

When you need more energy solutions, try Camelion!



CONTENT

Primary Batteries

Lithium	6
9V Lithium	6
Digi Alkaline	7
Plus Alkaline	8
Super Heavy Duty (Blue)	14
Super Heavy Duty (Green)	15
Photo Lithium	19

Electronic Button Cells

Electronics Lithium	20
Electronics Alkaline	20
Electronics Silver Oxide	22
Zinc Air	22
Battery Accessoires	23
Battery Selection Chart	24

Rechargeable Batteries

AlwaysReady	26
Ni-MH	28

Battery Chargers

Green Energy Chargers	
SBC-3001	32
Ultra Fast Chargers	
BC-0907	33
Super Fast Chargers	
BC-1007	34
BC-0903	35
Fast Chargers	
BC-1002A	36
BC-1012	37

Overnight Chargers

BC-1001A	38
BC-1021C	39
BC-0901	40
BC-0902	41
BC-0904S	42
BC-0908	43

Universal Chargers

CM9398GS	44
CM9388	45
CM3298	46
LBC-312	47

Battery Charging Table

48

Power Supplies

USB Car Chargers

DD801	51
DD811	51

USB Power Adapters

AD569	52
AD3127	52

Power Banks

PS637	53
PS638	53
PS625F	54
PS626	54
PS627	55
Device Chart	56

Battery Powered Flashlights

TRAVLite™ Flashlights

LED Pocket Flashlight HP7011	58
LED Rubber Flashlight PT6L2D, PT3L2AA	58
LED Lantern SL7051, SL1011, SL2011	60

SuperBright™ Flashlights

Multi-head LED Classic FL6L2D, FL3L2AA	62
Multi-head LED Search Lamp FL-16LED, FL-9LED	64
Classic Flashlight FL1L2D, FL1L2C, FL1L2AA	66

Professional Products

Penlight DL2AAAS	68
----------------------------	----

CT-Series LED Flashlights

High grade aluminium flashlight with maximum illumination CT4002, CT4004, CT4005, CT4010	70
LED Lantern Solar Lantern, CT4008	72
3 Watt Headlight CT4007	72
2+1 LED Solar Keychain CT4011	72

Flashlight Replacement Bulbs

LED bulbs	74
Vacuum and Krypton	74

Promotional 75

Primary Batteries

Lithium P⁷ Batteries

Camelion Lithium P7™ batteries offer a unique combination of lightness and high energy density. As Camelion's most powerful primary battery, the P7 batteries, offer unbeatable performance for your high drain devices such as digital cameras, music players and games. It can be stored up to 10 years.



FR6-BP2

1.5V AA



Packaging
Blister 2 pcs/pack
Inner Box 12 packs/box
Outer Carton 216 packs/carton

Gross Weight: 9.3 kg
Volume: 0.0251 cbm

Dimensions

Blister (mm) 84(W) x 114(H) x 15(D)
Inner Box (mm) 131(L) x 98(W) x 86(H)
Outer Carton (cm) 41.5(L) x 27.5(W) x 22.0(H)



FR03-BP2

1.5V AAA



Packaging
Blister 2 pcs/pack
Inner Box 12 packs/box
Outer Carton 288 packs/carton

Gross Weight: 8.0 kg
Volume: 0.0237 cbm

Dimensions

Blister (mm) 84(W) x 114(H) x 11(D)
Inner Box (mm) 119(L) x 75(W) x 86(H)
Outer Carton (cm) 32.5(L) x 26.0(W) x 28.0(H)

9V Lithium Battery

The new Lithium 9V Battery from Camelion is a high capacity battery designed to provide long lasting life and stable operating voltage.

- Up to 5x Longer Lasting*
- Low Self Discharge
- Anti leakage crimp design
- Temperature Range -20°C to +55°C
- Non-rechargeable
- 10 Year Shelf Life
- High And Stable Operating Voltage



*compare with alkaline batteries. Camelion 2010 Lab Tests.



CR9V-BP1

9V



Packaging
Blister 1 pcs/pack
Inner Box 12 packs/box
Outer Carton 192 packs/carton

Gross Weight: 8.3 kg
Volume: 0.0246 cbm

Dimensions

Blister (mm) 84(W) x 114(H) x 18(D)
Inner Box (mm) 123(L) x 117(W) x 86(H)
Outer Carton (cm) 36.2(L) x 26.3(W) x 25.8(H)



ER9V-BP1

9V



Packaging
Blister 1 pcs/pack
Inner Box 12 packs/box
Outer Carton 192 packs/carton

Gross Weight: 8.3 kg
Volume: 0.0246 cbm

Dimensions

Blister (mm) 84(W) x 114(H) x 18(D)
Inner Box (mm) 123(L) x 117(W) x 86(H)
Outer Carton (cm) 36.2(L) x 26.3(W) x 25.8(H)

Digi Alkaline Batteries

Camelion Digi Alkaline batteries are the right solution for many electronic devices including digital cameras, music players, and boom boxes. Using a new technology they offer long lasting power for high drain devices.



LR20-BP2DG

1.5V D



Packaging
Blister 2 pcs/pack
Inner Box 6 packs/box
Outer Carton 48 packs/carton

Gross Weight: 15.0 kg
Volume: 0.0157 cbm

Dimensions

Blister (mm) 84(W) x 114(H) x 34(D)
Inner Box (mm) 160(L) x 110(W) x 92(H)
Outer Carton (cm) 33.5(L) x 19.5(W) x 24.0(H)



LR14-BP2DG

1.5V C



Packaging
Blister 2 pcs/pack
Inner Box 6 packs/box
Outer Carton 96 packs/carton

Gross Weight: 14.3 kg
Volume: 0.0227 cbm

Dimensions

Blister (mm) 84(W) x 114(H) x 27(D)
Inner Box (mm) 140(L) x 90(W) x 92(H)
Outer Carton (cm) 37.5(L) x 29.5(W) x 20.5(H)



LR6-BP4DG

1.5V AA



Packaging
Blister 4 pcs/pack
Inner Box 12 packs/box
Outer Carton 144 packs/carton

Gross Weight: 15.4 kg
Volume: 0.0166 cbm

Dimensions

Blister (mm) 84(W) x 114(H) x 15(D)
Inner Box (mm) 131(L) x 98(W) x 86(H)
Outer Carton (cm) 27.5(L) x 28.0(W) x 21.5(H)



LR6-BP2DG

1.5V AA



Packaging
Blister 2 pcs/pack
Inner Box 12 packs/box
Outer Carton 216 packs/carton

Gross Weight: 12.6 kg
Volume: 0.0251 cbm

Dimensions

Blister (mm) 84(W) x 114(H) x 15(D)
Inner Box (mm) 131(L) x 98(W) x 86(H)
Outer Carton (cm) 41.5(L) x 27.5(W) x 22.0(H)



LR03-BP4DG

1.5V AAA



Packaging
Blister 4 pcs/pack
Inner Box 12 packs/box
Outer Carton 288 packs/carton

Gross Weight: 15.9 kg
Volume: 0.0237 cbm

Dimensions

Blister (mm) 84(W) x 114(H) x 11(D)
Inner Box (mm) 119(L) x 75(W) x 86(H)
Outer Carton (cm) 32.5(L) x 26.0(W) x 28.0(H)



LR03-BP2DG

1.5V AAA



Packaging
Blister 2 pcs/pack
Inner Box 12 packs/box
Outer Carton 288 packs/carton

Gross Weight: 9.1 kg
Volume: 0.0237 cbm

Dimensions

Blister (mm) 84(W) x 114(H) x 11(D)
Inner Box (mm) 119(L) x 75(W) x 86(H)
Outer Carton (cm) 32.5(L) x 26.0(W) x 28.0(H)



6LR61-BP1DG

9V



Packaging
Blister 1 pcs/pack
Inner Box 12 packs/box
Outer Carton 192 packs/carton


Gross Weight: 11.2 kg
Volume: 0.0246 cbm

Dimensions

Blister (mm) 84(W) x 114(H) x 18(D)
Inner Box (mm) 123(L) x 117(W) x 86(H)
Outer Carton (cm) 36.2(L) x 26.3(W) x 25.8(H)

Plus Alkaline Batteries

Camelion Plus Alkaline batteries offer reliable power for high drain devices. They deliver stable and long lasting current couple to a long shelf life to support high drain devices such as CD players, toys, PDAs, and electronic games.



LR20-BP2
1.5V D
 4 260033 150004

Packaging
 Blister 2 pcs/pack
 Inner Box 6 packs/box
 Outer Carton 48 packs/carton

Gross Weight: 15.0 kg
Volume: 0.0157 cbm

Dimensions
 Blister (mm) 84(W) x 114(H) x 34(D)
 Inner Box (mm) 160(L) x 110(W) x 92(H)
 Outer Carton (cm) 33.5(L) x 19.5(W) x 24.0(H)



LR14-BP2
1.5V C
 4 260033 150011

Packaging
 Blister 2 pcs/pack
 Inner Box 6 packs/box
 Outer Carton 96 packs/carton

Gross Weight: 15.6 kg
Volume: 0.0227 cbm

Dimensions
 Blister (mm) 84(W) x 114(H) x 27(D)
 Inner Box (mm) 140(L) x 90(W) x 92(H)
 Outer Carton (cm) 37.5(L) x 29.5(W) x 20.5(H)



LR6-BP4
1.5V AA
 4 260033 150028

Packaging
 Blister 4 pcs/pack
 Inner Box 12 packs/box
 Outer Carton 144 packs/carton

Gross Weight: 15.5 kg
Volume: 0.0166 cbm

Dimensions
 Blister (mm) 84(W) x 114(H) x 15(D)
 Inner Box (mm) 131(L) x 98(W) x 86(H)
 Outer Carton (cm) 27.5(L) x 28.0(W) x 21.5(H)



LR6-BP2
1.5V AA
 4 260033 150035

Packaging
 Blister 2 pcs/pack
 Inner Box 12 packs/box
 Outer Carton 216 packs/carton

Gross Weight: 12.6 kg
Volume: 0.0251 cbm

Dimensions
 Blister (mm) 84(W) x 114(H) x 15(D)
 Inner Box (mm) 131(L) x 98(W) x 86(H)
 Outer Carton (cm) 41.5(L) x 27.5(W) x 22.0(H)



4+4LR6
1.5V AA
 4 260216 451096

Packaging
 Blister 8 pcs/pack
 Inner Box 12 packs/box
 Outer Carton 72 packs/carton

Gross Weight: 15.5 kg
Volume: 0.0199 cbm

Dimensions
 Blister (mm) 168(W) x 114(H) x 15(D)
 Inner Box (mm) 175(L) x 140(W) x 10.8(H)
 Outer Carton (cm) 43.5(L) x 19.0(W) x 24.0(H)



LR6-HP12
1.5V AA
 4 260033 150424

Packaging
 Blister 12 pcs/pack
 Outer Carton 48 packs/carton

Gross Weight: 14.1 kg
Volume: 0.0098 cbm

Dimensions
 Blister (mm) 170(W) x 99(H) x 15(D)
 Outer Carton (cm) 35.5(L) x 22.0(W) x 12.5(H)



LR6-BP10
1.5V AA
 4 260033 150097

Packaging
 Blister 10 pcs/pack
 Inner Box 12 packs/box
 Outer Carton 72 packs/carton

Gross Weight: 18.8 kg
Volume: 0.0239 cbm

Dimensions
 Blister (mm) 84(W) x 190(H) x 15(D)
 Inner Box (mm) 315(L) x 104(W) x 90(H)
 Outer Carton (cm) 33.0(L) x 31.5(W) x 23.0(H)



LR03-BP2
1.5V AAA
 4 260033 150059

Packaging
 Blister 2 pcs/pack
 Inner Box 12 packs/box
 Outer Carton 288 packs/carton

Gross Weight: 9.1 kg
Volume: 0.0237 cbm

Dimensions
 Blister (mm) 84(W) x 114(H) x 11(D)
 Inner Box (mm) 119(L) x 75(W) x 86(H)
 Outer Carton (cm) 32.5(L) x 26.0(W) x 28.0(H)



LR03-BP4
1.5V AAA
 4 260033 150042

Packaging
 Blister 4 pcs/pack
 Inner Box 12 packs/box
 Outer Carton 144 packs/carton

Gross Weight: 8.3 kg
Volume: 0.0120 cbm

Dimensions
 Blister (mm) 84(W) x 114(H) x 11(D)
 Inner Box (mm) 119(L) x 75(W) x 86(H)
 Outer Carton (cm) 27.5(L) x 25.5(W) x 17.0(H)



LR03-BP10
1.5V AAA
 4 260033 150103

Packaging
 Blister 10 pcs/pack
 Inner Box 12 packs/box
 Outer Carton 72 packs/carton

Gross Weight: 9.4 kg
Volume: 0.0152 cbm

Dimensions
 Blister (mm) 84(W) x 165(H) x 11(D)
 Inner Box (mm) 243(L) x 85(W) x 90(H)
 Outer Carton (cm) 30.0(L) x 26.0(W) x 19.5(H)



LR1-BP2
1.5V N
 4 260033 150080

Packaging
 Blister 2 pcs/pack
 Inner Box 6 packs/box
 Outer Carton 192 packs/carton

Gross Weight: 6.3 kg
Volume: 0.0181 cbm

Dimensions
 Blister (mm) 84(W) x 114(H) x 12(D)
 Inner Box (mm) 116(L) x 45(W) x 86(H)
 Outer Carton (cm) 36.2(L) x 25.0(W) x 20.0(H)



LR6 bulk
1.5V AA

Packaging
 Inner Box 60 pcs/box
 Outer Carton 720 pcs/carton

Gross Weight: 17.8 kg
Volume: 0.0096 cbm

Dimensions
 Shrink (mm) 56(W) x 50(H) x 14(D)
 Inner Box (mm) 174(L) x 72(W) x 50(H)
 Outer Carton (cm) 23.5(L) x 21.5(W) x 19.0(H)



LR6-SP2
1.5V AA
 4 260033 150332

Packaging
 Shrink 2 pcs/pack
 Inner Box 20 packs/box
 Outer Carton 360 packs/carton

Gross Weight: 17.9 kg
Volume: 0.0100 cbm

Dimensions
 Shrink (mm) 28(W) x 50(H) x 14(D)
 Inner Box (mm) 113(L) x 72(W) x 50(H)
 Outer Carton (cm) 31.5(L) x 23.5(W) x 13.5(H)



4+4LR03
1.5V AAA
 4 260216 451102

Packaging
 Blister 8 pcs/pack
 Inner Box 12 packs/box
 Outer Carton 72 packs/carton

Gross Weight: 8.9 kg
Volume: 0.0150 cbm

Dimensions
 Blister (mm) 168(W) x 114(H) x 11(D)
 Inner Box (mm) 175(L) x 130(W) x 85(H)
 Outer Carton (cm) 41.5(L) x 19.0(W) x 19.0(H)



6LR61-BP1
9V
 4 260033 150066

Packaging
 Blister 1 pcs/pack
 Inner Box 12 packs/box
 Outer Carton 192 packs/carton

Gross Weight: 11.2 kg
Volume: 0.0246 cbm

Dimensions
 Blister (mm) 84(W) x 114(H) x 18(D)
 Inner Box (mm) 123(L) x 117(W) x 86(H)
 Outer Carton (cm) 36.2(L) x 26.3(W) x 25.8(H)



3LR12-BP1
4.5V
 4 260033 150073

Packaging
 Blister 1 pcs/pack
 Inner Box 6 packs/box
 Outer Carton 144 packs/carton

Gross Weight: 16.9 kg
Volume: 0.0295 cbm

Dimensions
 Blister (mm) 84(W) x 114(H) x 23(D)
 Inner Box (mm) 160(L) x 75(W) x 86(H)
 Outer Carton (cm) 36.0(L) x 33.5(W) x 24.5(H)



LR6-SP4
1.5V AA
 4 260033 150325

Packaging
 Shrink 4 pcs/pack
 Inner Box 15 packs/box
 Outer Carton 180 packs/carton

Gross Weight: 17.8 kg
Volume: 0.0096 cbm

Dimensions
 Shrink (mm) 56(W) x 50(H) x 14(D)
 Inner Box (mm) 174(L) x 72(W) x 50(H)
 Outer Carton (cm) 23.5(L) x 21.5(W) x 19.0(H)



LR03 bulk
1.5V AAA

Packaging
 Inner Box 60 pcs/box
 Outer Carton 1200 pcs/carton

Gross Weight: 14.7 kg
Volume: 0.0084 cbm

Dimensions
 Shrink (mm) 20(W) x 44.5(H) x 10(D)
 Inner Box (mm) 83(L) x 52(W) x 45(H)
 Outer Carton (cm) 29.0(L) x 19.0(W) x 15.0(H)



LR03-SP4
1.5V AAA
 4 260033 150349

Packaging
 Shrink 4 pcs/pack
 Inner Box 15 packs/box
 Outer Carton 300 packs/carton

Gross Weight: 14.7 kg
Volume: 0.0084 cbm

Dimensions
 Shrink (mm) 40(W) x 44.5(H) x 10(D)
 Inner Box (mm) 125(L) x 52(W) x 45(H)
 Outer Carton (cm) 29.0(L) x 20.0(W) x 14.5(H)



LR14-SP2
1.5V C
 4 260033 150318

Packaging
 Shrink 2 pcs/pack
 Inner Box 6 packs/box
 Outer Carton 120 packs/carton

Gross Weight: 16.6 kg
Volume: 0.0123 cbm

Dimensions
 Shrink (mm) 52(W) x 50(H) x 26(D)
 Inner Box (mm) 107(L) x 81(W) x 56(H)
 Outer Carton (cm) 29.5(L) x 22.5(W) x 18.5(H)



6LR61-SP1
9V
 4 260033 150363

Packaging
 Shrink 1 pcs/pack
 Inner Box 12 packs/box
 Outer Carton 240 packs/carton

Gross Weight: 11.4 kg
Volume: 0.0083 cbm

Dimensions
 Shrink (mm) 25.5(W) x 48.5(H) x 17.5 (D)
 Inner Box (mm) 105(L) x 52(W) x 50(H)
 Outer Carton (cm) 29.0(L) x 23.0(W) x 12.5(H)



LR6-PB24
1.5V AA
 4 260033 150455

Packaging
 Box 24 pcs/pack
 Outer Carton 30 packs/carton

Gross Weight: 18.3 kg
Volume: 0.0178 cbm

Dimensions
 Plastic box (mm) 98(L) x 75(W) x 50(H)
 Outer Carton (cm) 42.5(L) x 22(W) x 19(H)



LR03-PB24
1.5V AAA
 4 260033 150462

Packaging
 Box 24 pcs/pack
 Outer Carton 30 packs/carton

Gross Weight: 9.0 kg
Volume: 0.0107 cbm

Dimensions
 Plastic box (mm) 80(L) x 60(W) x 45(H)
 Outer Carton (cm) 34.5(L) x 18.5(W) x 17.0(H)



6LR61-PB6
9V
 4 260033 150479

Packaging
 Box 6 pcs/pack
 Inner Box 6 packs/box
 Outer Carton 24 packs/carton

Gross Weight: 7.8 kg
Volume: 0.0105 cbm

Dimensions
 Plastic box (mm) 71(L) x 68(W) x 49 (H)
 Inner Box (mm) 210(L) x 148(W) x 60(H)
 Outer Carton (cm) 31.0(L) x 22.5(W) x 15.0(H)



LR03-SP2
1.5V AAA
 4 260033 150356

Packaging
 Shrink 2 pcs/pack
 Inner Box 20 packs/box
 Outer Carton 600 packs/carton

Gross Weight: 14.8 kg
Volume: 0.0083 cbm

Dimensions
 Shrink (mm) 20(W) x 44.5(H) x 10(D)
 Inner Box (mm) 83(L) x 52(W) x 45(H)
 Outer Carton (cm) 29.0(L) x 19.0(W) x 15.0(H)



LR20-SP2
1.5V D
 4 260033 150301

Packaging
 Shrink 2 pcs/pack
 Inner Box 6 packs/box
 Outer Carton 60 packs/carton

Gross Weight: 16.7 kg
Volume: 0.0122 cbm

Dimensions
 Shrink (mm) 66(W) x 61(H) x 33(D)
 Inner Box (mm) 137(L) x 103(W) x 68(H)
 Outer Carton (cm) 35.5(L) x 15.0(W) x 23.0(H)



3LR12-SP1
4.5V
 4 260033 150370

Packaging
 Shrink 1 pcs/pack
 Inner Box 12 packs/box
 Outer Carton 192 packs/carton

Gross Weight: 16.6 kg
Volume: 0.0233 cbm

Dimensions
 Shrink (mm) 62(W) x 65.5 (H) x 22 (D)
 Inner Box (mm) 188(L) x 90(W) x 65(H)
 Outer Carton (cm) 38.5(L) x 20.5(W) x 29.5(H)



LR6-PB20
1.5V AA
 4 260216 453106

Packaging
 Box 20 pcs/pack
 Outer Carton 30 packs/carton

Gross Weight: 15.0 kg
Volume: 0.0150 cbm

Dimensions
 Plastic box (mm) 82(L) x 75(W) x 50(H)
 Outer Carton (cm) 43.0(L) x 19.2(W) x 19.0(H)



LR03-PB20
1.5V AAA
 4 260216 453113

Packaging
 Box 20 pcs/pack
 Outer Carton 30 packs/carton

Gross Weight: 7.8 kg
Volume: 0.0074 cbm

Dimensions
 Plastic box (mm) 66(L) x 64(W) x 44(H)
 Outer Carton (cm) 34.5(L) x 15.5(W) x 17.5(H)



LR03-PBH24
1.5V AAA
 4 260033 155108

Packaging
 Box 24 pcs/pack
 Inner Box 12 packs/box
 Outer Carton 24 packs/carton

Gross Weight: 8.8 kg
Volume: 0.0067 cbm

Dimensions
 Plastic box (mm) 96(L) x 70(W) x 26(H)
 Inner Box (mm) 21.5(L) x 200(W) x 55(H)
 Outer Carton (cm) 23.0(L) x 21.5(W) x 13.5(H)



LR03-PBH12
1.5V AAA
 4 260216 453700

Packaging
 Box 12 pcs/pack
 Inner Box 24 packs/box
 Outer Carton 48 packs/carton

Gross Weight: 7.5 kg
Volume: 0.0069 cbm

Dimensions
 Plastic box (mm) 49(L) x 72(W) x 26(H)
 Inner Box (mm) 150(L) x 150(W) x 110(H)
 Outer Carton (cm) 32.0(L) x 16.5(W) x 13.0(H)



CM-FA-01
 4 260033 155160

Packaging 10 x LR6 + 8 x LR03 +
 2 x 6LF22 + 4x C Size Adaptors +
 4 x D Size Adaptors + BT-0503

Gross Weight: 8.0 kg
Volume: 0.0195 cbm

Dimensions
 Plastic box (mm) 255(L) x 173(W) x 37(H)
 Outer Carton (cm) 35.5 (L) x 20.0(W) x 27.5(H)



LR6-PBH24
1.5V AA
 4 260033 155092

Packaging
 Box 24 pcs/pack
 Inner Box 12 packs/box
 Outer Carton 24 packs/carton

Gross Weight: 16.3 kg
Volume: 0.0116 cbm

Dimensions
 Plastic box (mm) 108(L) x 92(W) x 32(H)
 Inner Box (mm) 285(L) x 220(W) x 70(H)
 Outer Carton (cm) 30.0 (L) x 23.5(W) x 16.5(H)



LR6-PBH12
1.5V AA
 4 260216 453694

Packaging
 Box 12 pcs/pack
 Inner Box 24 packs/box
 Outer Carton 48 packs/carton

Gross Weight: 15.2 kg
Volume: 0.0127 cbm

Dimensions
 Plastic box (mm) 55(L) x 95(W) x 34(H)
 Inner Box (mm) 195(L) x 170(W) x 142(H)
 Outer Carton (cm) 36.5(L) x 21.0(W) x 16.5(H)



FPA-GB28
 4 260216 453342

Packaging 12 x LR6 + 8 x LR03
 + 4 x LR14 + 4 x 6LF22
 + key chain

Gross Weight: 15.6 kg
Volume: 0.0203 cbm

Dimensions
 Cardboard Box (mm) 142(L) x 108(W) x 54(H)
 Outer Carton (cm) 35.5(L) x 30.0(W) x 19.0(H)

Shrink Wrap Packaging and Display Boxes

Handy Packaging!

Our shrink wrap packaging and display boxes help keep your batteries where you need them, with minimum fuss.

- Convenient & Easy to open
- Self-standing, sturdy display boxes
- Many sizes and shapes available
- Securely hold several batteries
- Professional, branded card inserts and designs for effective messaging



LR6-SP10-DA
1.5V AA
 4 260033 157249

Packaging
 Blister 10 pcs/pack
 Inner Box 24 packs/box
 Outer Carton 2 boxes/carton

Gross Weight: 14.0 kg
Volume: 0.0087 cbm

Dimensions
 Inner Box (mm) 150(L) x 190(W) x 108(H)
 Outer Carton (cm) 32.0(L) x 20.5(W) x 12.5(H)



LR03-SP10-DA
1.5V AAA
 4 260033 157256


Packaging
 Blister 10 pcs/pack
 Inner Box 20 packs/box
 Outer Carton 4 boxes/carton

Gross Weight: 12.0 kg
Volume: 0.0075 cbm

Dimensions
 Inner Box (mm) 110(L) x 120(W) x 96(H)
 Outer Carton (cm) 26.0(L) x 24.0(W) x 11.0(H)

Limited edition

Value pack for limited campaign



8+4LR6
1.5V AA
4 260216 453915

Packaging
Blister 6 pcs/pack
Inner Box 12 packs/box
Outer Carton 48 packs/carton

Gross Weight: 15.0 kg
Volume: 0.0154 cbm

Dimensions
Blister (mm) 140(W) x 114(H) x 15(D)
Inner Box (mm) 131(L) x 98(W) x 150(H)
Outer Carton (cm) 33.0(L) x 29.0(W) x 16.0(H)




8+4LR03
1.5V AAA
4 260216 453922

Packaging
Blister 6 pcs/pack
Inner Box 12 packs/box
Outer Carton 72 packs/carton

Gross Weight: 11.2 kg
Volume: 0.0211 cbm

Dimensions
Blister (mm) 125(W) x 114(H) x 11(D)
Inner Box (mm) 132(L) x 75(W) x 125(H)
Outer Carton (cm) 42.5(L) x 33.5(W) x 14.8(H)




4+2LR6
1.5V AA
4 260216 453939

Packaging
Blister 6 pcs/pack
Inner Box 12 packs/box
Outer Carton 72 packs/carton

Gross Weight: 11.8 kg
Volume: 0.0154 cbm

Dimensions
Blister (mm) 140(W) x 114(H) x 15(D)
Inner Box (mm) 131(L) x 98(W) x 150(H)
Outer Carton (cm) 33.0(L) x 29.0(W) x 16.0(H)



4+2LR03
1.5V AAA
4 260216 453946

Packaging
Blister 6 pcs/pack
Inner Box 12 packs/box
Outer Carton 144 packs/carton

Gross Weight: 12.8 kg
Volume: 0.0207 cbm

Dimensions
Blister (mm) 125(W) x 114(H) x 11(D)
Inner Box (mm) 132(L) x 75(W) x 125(H)
Outer Carton (cm) 41.5(L) x 28.5(W) x 17.5(H)



8+4LR6-BP
1.5V AA
4 260216 453915

Packaging
Blister 12 pcs/pack
Inner Box 6 packs/box
Outer Carton 48 packs/carton

Gross Weight: 15 kg
Volume: 0.0190 cbm

Dimensions
Blister (mm) 125(W) x 114(H) x 29(D)
Inner Box (mm) 132(L) x 100(W) x 137(H)
Outer Carton (cm) 29.5(L) x 28.5(W) x 22.5(H)




4+2LR6-BP
1.5V AA
4 260216 453939

Packaging
Blister 6 pcs/pack
Inner Box 12 packs/box
Outer Carton 72 packs/carton

Gross Weight: 11.8 kg
Volume: 0.0160 cbm

Dimensions
Blister (mm) 125(W) x 114(H) x 15(D)
Inner Box (mm) 132(L) x 105(W) x 138(H)
Outer Carton (cm) 41.5(L) x 29.5(W) x 13.0(H)



8+4LR03-BP
1.5V AAA
4 260216 453922

Packaging
Blister 12 pcs/pack
Inner Box 6 packs/box
Outer Carton 72 packs/carton

Gross Weight: 12.2 kg
Volume: 0.0207 cbm

Dimensions
Blister (mm) 125(W) x 114(H) x 21(D)
Inner Box (mm) 132(L) x 75(W) x 125(H)
Outer Carton (cm) 41.5(L) x 28.5(W) x 17.5(H)



4+2LR03-BP
1.5V AAA
4 260216 453946

Packaging
Blister 6 pcs/pack
Inner Box 12 packs/box
Outer Carton 144 packs/carton

Gross Weight: 12.8 kg
Volume: 0.0207 cbm

Dimensions
Blister (mm) 125(W) x 114(H) x 11(D)
Inner Box (mm) 132(L) x 75(W) x 125(H)
Outer Carton (cm) 41.5(L) x 28.5(W) x 17.5(H)




LR6-SP8
1.5V AA
4 260216 451003

Packaging
Shrink 8 pcs/pack
Inner Box 20 packs/box
Outer Carton 4 boxes/carton

Gross Weight: 15.5 kg
Volume: 0.0099 cbm

Dimensions
Inner Box (mm) 150(L) x 118(W) x 110(H)
Outer Carton (cm) 25.0(L) x 16.5(W) x 24.0(H)




LR03-SP8
1.5V AAA
4 260216 451010

Packaging
Shrink 8 pcs/pack
Inner Box 40 packs/box
Outer Carton 4 boxes/carton

Gross Weight: 15.5 kg
Volume: 0.0096 cbm

Dimensions
Inner Box (mm) 170(L) x 110(W) x 100(H)
Outer Carton (cm) 23.5(L) x 18.5(W) x 22.0(H)



LR14-SP6
1.5V C
4 260216 453663

Packaging
Shrink 6 pcs/pack
Inner Box 10 packs/box
Outer Carton 4 boxes/carton

Gross Weight: 16.7 kg
Volume: 0.0119 cbm

Dimensions
Inner Box (mm) 158(L) x 135(W) x 110(H)
Outer Carton (cm) 28.5(L) x 17.3(W) x 24.0(H)



LR20-SP6
1.5V D
4 260216 453656

Packaging
Shrink 6 pcs/pack
Inner Box 10 packs/box
Outer Carton 2 boxes/carton

Gross Weight: 16.8 kg
Volume: 0.0117 cbm

Dimensions
Inner Box (mm) 203(L) x 172(W) x 130(H)
Outer Carton (cm) 35.8(L) x 21.8(W) x 15.0(H)




LR6-SP16
1.5V AA
4 260216 451072

Packaging
Shrink 16 pcs/pack
Inner Box 10 packs/box
Outer Carton 4 boxes/carton

Gross Weight: 15.5 kg
Volume: 0.0099 cbm

Dimensions
Inner Box (mm) 150(L) x 118(W) x 110(H)
Outer Carton (cm) 25.0(L) x 16.5(W) x 24.0(H)



LR03-SP16
1.5V AAA
4 260216 453670

Packaging
Shrink 16 pcs/pack
Inner Box 20 packs/box
Outer Carton 4 boxes/carton

Gross Weight: 15.5 kg
Volume: 0.0096 cbm

Dimensions
Inner Box (mm) 170(L) x 110(W) x 100(H)
Outer Carton (cm) 23.5(L) x 18.5(W) x 22.0(H)



LR20-PB4
1.5V D
4 260033 150431

Packaging
Box 4 pcs/pack
Inner Box 6 packs/box
Outer Carton 24 packs/carton

Gross Weight: 14.8 kg
Volume: 0.0191 cbm

Dimensions
Plastic box (mm) 89(L) x 84(W) x 62(H)
Inner Box (mm) 260(L) x 185(W) x 75(H)
Outer Carton (cm) 38.5(L) x 27.5(W) x 18.0(H)



LR14-PB4
1.5V C
4 260033 150448

Packaging
Box 4 pcs/pack
Inner Box 6 packs/box
Outer Carton 24 packs/carton

Gross Weight: 7.6 kg
Volume: 0.0112 cbm

Dimensions
Plastic box (mm) 73(L) x 68(W) x 50(H)
Inner Box (mm) 210(L) x 152(W) x 61(H)
Outer Carton (cm) 32.0(L) x 22.5(W) x 15.5(H)



Super Heavy Duty Batteries

Camelion Zinc Carbon batteries are a great choice for small household electronic devices that need continuous power such as clocks, flashlights, remote controls and transistor radios. Manganese dioxide is used for the positive material and zinc/ammonium chloride for the electrolyte in a leakage proof structure. These, general purpose, batteries offer a long shelf life as well as reliability, versatility and savings.



R20P-BP2B
1.5V D
 Packaging 2 pcs/pack
 Blister 6 packs/box
 Inner Box 72 packs/carton
 Outer Carton 14.9 kg
 Volume: 0.0238 cbm
 Dimensions
 Blister (mm) 84(W) x 114(H) x 34(D)
 Inner Box (mm) 160(L) x 110(W) x 92(H)
 Outer Carton (cm) 33.5(L) x 29.0(W) x 24.5(H)



R14P-BP2B
1.5V C
 Packaging 2 pcs/pack
 Blister 6 packs/box
 Inner Box 144 packs/carton
 Outer Carton 15.6 kg
 Volume: 0.0315 cbm
 Dimensions
 Blister (mm) 84(W) x 114(H) x 27(D)
 Inner Box (mm) 137(L) x 86(W) x 86(H)
 Outer Carton (cm) 37.5(L) x 29.5(W) x 28.5(H)



R6P-BP4B
1.5V AA
 Packaging 4 pcs/pack
 Blister 12 packs/box
 Inner Box 240 packs/carton
 Outer Carton 17.5 kg
 Volume: 0.0272cbm
 Dimensions
 Blister (mm) 84(W) x 114(H) x 15(D)
 Inner Box (mm) 131(L) x 98(W) x 86(H)
 Outer Carton (cm) 45.0(L) x 27.5(W) x 22.0(H)



R03P-BP4B
1.5V AAA
 Packaging 4 pcs/pack
 Blister 12 packs/box
 Inner Box 288 packs/carton
 Outer Carton 14.6 kg
 Volume: 0.0237cbm
 Dimensions
 Blister (mm) 84(W) x 114(H) x 11(D)
 Inner Box (mm) 119(L) x 75(W) x 86(H)
 Outer Carton (cm) 32.5(L) x 26.0(W) x 28.0(H)



R6P-HP12B
4.5V
 Packaging 12 pcs/pack
 Blister 48 packs/carton
 Outer Carton 9.3 kg
 Volume: 0.0098cbm
 Dimensions
 Blister (mm) 70(W) x 65(H) x 50(D)
 Outer Carton (cm) 40.0(L) x 16.0(W) x 17.5(H)



6F22-BP1B
9V
 Packaging 1 pcs/pack
 Blister 12 packs/box
 Inner Box 240 packs/carton
 Outer Carton 11.4 kg
 Volume: 0.0310 cbm
 Dimensions
 Blister (mm) 84(W) x 114(H) x 18(D)
 Inner Box (mm) 123(L) x 117(W) x 86(H)
 Outer Carton (cm) 45.0(L) x 27.0(W) x 25.5(H)



R6P-SP4B
1.5V AA
 Packaging 4 pcs/pack
 Shrink 12 packs/box
 Inner Box 240 packs/carton
 Outer Carton 18.5 kg
 Volume: 0.0161cbm
 Dimensions
 Shrink (mm) 56(W) x 50(H) x 14(D)
 Inner Box (mm) 118(L) x 92(W) x 56(H)
 Outer Carton (cm) 30.5(L) x 19.5(W) x 27.0(H)



R03P-SP4B
1.5V AAA
 Packaging 4 pcs/pack
 Shrink 24 packs/box
 Inner Box 480 packs/carton
 Outer Carton 14.2 kg
 Volume: 0.0139 cbm
 Dimensions
 Shrink (mm) 40(W) x 44.5(H) x 10(D)
 Inner Box (mm) 126(L) x 86(W) x 50(H)
 Outer Carton (cm) 36.0(L) x 26.5(W) x 14.5(H)



4R25-SP1B
6V
 Packaging 1 pcs/pack
 Shrink 6 packs/box
 Inner Box 12 packs/carton
 Outer Carton 6.7 kg
 Volume: 0.0090 cbm
 Dimensions
 Shrink (mm) 68.2(W) x 68.2(H) x 115 (D)
 Inner Box (mm) 205(L) x 135(W) x 120(H)
 Outer Carton (cm) 29.0(L) x 22.0(W) x 14.0(H)



R03P-SP2B
1.5V AAA
 Packaging 2 pcs/pack
 Shrink 48 packs/box
 Inner Box 960 packs/carton
 Outer Carton 14.2 kg
 Volume: 0.0139 cbm
 Dimensions
 Shrink (mm) 20(W) x 44.5(H) x 10(D)
 Inner Box (mm) 126(L) x 86(W) x 50(H)
 Outer Carton (cm) 36.0(L) x 26.5(W) x 14.5(H)



R20P-BP2G
1.5V D
 Packaging 2 pcs/pack
 Blister 6 packs/box
 Inner Box 72 packs/carton
 Outer Carton 14.1 kg
 Volume: 0.0238cbm
 Dimensions
 Blister (mm) 84(W) x 114(H) x 34(D)
 Inner Box (mm) 160(L) x 110(W) x 92(H)
 Outer Carton (cm) 33.5(L) x 29.0(W) x 24.5(H)



R20P-BP4G
1.5V D
 Packaging 4 pcs/pack
 Blister 6 packs/box
 Inner Box 54 packs/carton
 Outer Carton 20.6 kg
 Volume: 0.0340cbm
 Dimensions
 Blister (mm) 84(W) x 190(H) x 34(D)
 Inner Box (mm) 290(L) x 110(W) x 90(H)
 Outer Carton (cm) 31.0(L) x 30.5(W) x 36.0(H)



R14P-BP2G
1.5V C
 Packaging 2 pcs/pack
 Blister 6 packs/box
 Inner Box 144 packs/carton
 Outer Carton 14.3 kg
 Volume: 0.0315 cbm
 Dimensions
 Blister (mm) 84(W) x 114(H) x 27(D)
 Inner Box (mm) 137(L) x 86(W) x 86(H)
 Outer Carton (cm) 37.5(L) x 29.5(W) x 28.5(H)



R14P-BP4G
1.5V C
 Packaging 4 pcs/pack
 Blister 6 packs/box
 Inner Box 54 packs/carton
 Outer Carton 10.4 kg
 Volume: 0.0245cbm
 Dimensions
 Blister (mm) 84(W) x 165(H) x 27(D)
 Inner Box (mm) 240(L) x 90(W) x 90(H)
 Outer Carton (cm) 32.0(L) x 25.5(W) x 30.0(H)



R14P-BP6G
1.5V C
 Packaging 6 pcs/pack
 Blister 4 packs/box
 Inner Box 48 packs/carton
 Outer Carton 15 kg
 Volume: 0.0336 cbm
 Dimensions
 Blister (mm) 84(W) x 210(H) x 27(D)
 Inner Box (mm) 220(L) x 110(W) x 90(H)
 Outer Carton (cm) 46.5(L) x 24.5(W) x 29.5(H)



R6P-BP8G
1.5V AA
 Packaging 8 pcs/pack
 Blister 12 packs/box
 Inner Box 72 packs/carton
 Outer Carton 9.5 kg
 Volume: 0.0198 cbm
 Dimensions
 Blister (mm) 84(W) x 165(H) x 15(D)
 Inner Box (mm) 265(L) x 100(W) x 90(H)
 Outer Carton (cm) 31.5(L) x 28.0(W) x 22.5(H)



R6P-BP4G
1.5V AA
 Packaging 4 pcs/pack
 Blister 12 packs/box
 Inner Box 240 packs/carton
 Outer Carton 13.7 kg
 Volume: 0.0272cbm
 Dimensions
 Blister (mm) 84(W) x 114(H) x 15(D)
 Inner Box (mm) 131(L) x 98(W) x 86(H)
 Outer Carton (cm) 45.0(L) x 27.5(W) x 22.0(H)



R6P-BP10G
1.5V AA
 Packaging 10 pcs/pack
 Blister 12 packs/box
 Inner Box 72 packs/carton
 Outer Carton 12.1 kg
 Volume: 0.0239 cbm
 Dimensions
 Blister (mm) 84(W) x 190(H) x 15(D)
 Inner Box (mm) 315(L) x 104(W) x 90(H)
 Outer Carton (cm) 33.0(L) x 31.5(W) x 23.0(H)



R03P-BP4G
1.5V AAA
 Packaging 4 pcs/pack
 Blister 12 packs/box
 Inner Box 288 packs/carton
 Outer Carton 12.0 kg
 Volume: 0.0237cbm
 Dimensions
 Blister (mm) 84(W) x 114(H) x 11(D)
 Inner Box (mm) 119(L) x 75(W) x 86(H)
 Outer Carton (cm) 32.5(L) x 26.0(W) x 28.0(H)



R03P-BP8G
1.5V AAA
 Packaging 8 pcs/pack
 Blister 12 packs/box
 Inner Box 72 packs/carton
 Outer Carton 6.6 kg
 Volume: 0.0132 cbm
 Dimensions
 Blister (mm) 84(W) x 165(H) x 11(D)
 Inner Box (mm) 200(L) x 84(W) x 90(H)
 Outer Carton (cm) 30.0(L) x 22.0(W) x 20.0(H)



6F22-BP1G
9V
 4 260033 156341
Packaging
 Blister 1 pcs/pack **Gross Weight:** 11.4 kg
 Inner Box 12 packs/box **Volume:** 0.0310 cbm
 Outer Carton 240 packs/carton
Dimensions
 Blister (mm) 84(W) x 114(H) x 18(D)
 Inner Box (mm) 123(L) x 117(W) x 86(H)
 Outer Carton (cm) 45.0(L) x 27.0(W) x 25.5(H)



3R12-BP1G
4.5V
 4 260033 156372
Packaging
 Blister 1 pcs/pack **Gross Weight:** 17.6 kg
 Inner Box 6 packs/box **Volume:** 0.0290cbm
 Outer Carton 144 packs/carton
Dimensions
 Blister (mm) 84(W) x 114(H) x 23(D)
 Inner Box (mm) 160(L) x 75(W) x 86(H)
 Outer Carton (cm) 33.5(L) x 31.5(W) x 27.5(H)



2R10-BP1G
3V
 4 260033 150943
Packaging
 Blister 1 pcs/pack **Gross Weight:** 11.0 kg
 Inner Box 12 packs/box **Volume:** 0.0533 cbm
 Outer Carton 240 packs/carton
Dimensions
 Blister (mm) 84(W) x 124(H) x 14(D)
 Inner Box (mm) 156(L) x 115(W) x 125(H)
 Outer Carton (cm) 59.5(L) x 28.0(W) x 32.0(H)



R20P-SP2G
1.5V D
 4 260033 156433
Packaging
 Shrink 2 pcs/pack **Gross Weight:** 17.5 kg
 Inner Box 6 packs/box **Volume:** 0.0169 cbm
 Outer Carton 96 packs/carton
Dimensions
 Shrink (mm) 66(W) x 61(H) x 33(D)
 Inner Box (mm) 137(L) x 103(W) x 68(H)
 Outer Carton (cm) 28.5(L) x 22.0(W) x 27.0(H)



R14P-SP2G
1.5V C
 4 260033 156440
Packaging
 Shrink 2 pcs/pack **Gross Weight:** 13.2 kg
 Inner Box 6 packs/box **Volume:** 0.0129 cbm
 Outer Carton 144 packs/carton
Dimensions
 Shrink (mm) 52(W) x 50(H) x 26(D)
 Inner Box (mm) 104(L) x 78(W) x 50(H)
 Outer Carton (cm) 25.5(L) x 23.0(W) x 22.0(H)



R6P-SP2G
1.5V AA
 4 260033 156464
Packaging
 Shrink 2 pcs/pack **Gross Weight:** 15.5 kg
 Inner Box 30 packs/box **Volume:** 0.0127cbm
 Outer Carton 480 packs/carton
Dimensions
 Shrink (mm) 28(W) x 50(H) x 14(D)
 Inner Box (mm) 113(L) x 72(W) x 50(H)
 Outer Carton (cm) 30.5(L) x 22.0(W) x 19.0(H)



R6P-SP4G
1.5V AA
 4 260033 156457
Packaging
 Shrink 4 pcs/pack **Gross Weight:** 14.7 kg
 Inner Box 15 packs/box **Volume:** 0.0127cbm
 Outer Carton 240 packs/carton
Dimensions
 Shrink (mm) 56(W) x 50(H) x 14(D)
 Inner Box (mm) 174(L) x 72(W) x 50(H)
 Outer Carton (cm) 30.5(L) x 22.0(W) x 19.0(H)



R6P-SP5G
1.5V AA
 4 260033 157478
Packaging
 Shrink 5 pcs/pack **Gross Weight:** 11.3 kg
 Inner Box 12 packs/box **Volume:** 0.0096 cbm
 Outer Carton 144 packs/carton
Dimensions
 Shrink (mm) 68(W) x 50(H) x 14(D)
 Inner Box (mm) 167(L) x 72(W) x 50(H)
 Outer Carton (cm) 23.5(L) x 21.5(W) x 19(H)



R03P-SP2G
1.5V AAA
 4 260033 156488
Packaging
 Shrink 2 pcs/pack **Gross Weight:** 9.5 kg
 Inner Box 30 packs/box **Volume:** 0.0083 cbm
 Outer Carton 600 packs/carton
Dimensions
 Shrink (mm) 40(W) x 44.5(H) x 10(D)
 Inner Box (mm) 83(L) x 52(W) x 45(H)
 Outer Carton (cm) 28.5(L) x 20.0(W) x 14.5(H)



R03P-SP4G
1.5V AAA
 4 260033 156471
Packaging
 Shrink 4 pcs/pack **Gross Weight:** 10.0 kg
 Inner Box 15 packs/box **Volume:** 0.0083 cbm
 Outer Carton 300 packs/carton
Dimensions
 Shrink (mm) 40(W) x 44.5(H) x 10(D)
 Inner Box (mm) 125(L) x 52(W) x 45(H)
 Outer Carton (cm) 28.5(L) x 20.0(W) x 14.5(H)



6F22-SP1G
9V
 4 260033 156495
Packaging
 Shrink 1 pcs/pack **Gross Weight:** 19.0 kg
 Inner Box 12 packs/box **Volume:** 0.0144 cbm
 Outer Carton 480 packs/carton
Dimensions
 Shrink (mm) 25.5(W) x 48.5(H) x 17.5 (D)
 Inner Box (mm) 105(L) x 52(W) x 50(H)
 Outer Carton (cm) 29.0(L) x 22.5(W) x 22.0(H)



3R12-SP1G
4.5V
 4 260033 156501
Packaging
 Shrink 1 pcs/pack **Gross Weight:** 16.6 kg
 Inner Box 12 packs/box **Volume:** 0.0188 cbm
 Outer Carton 144 packs/carton
Dimensions
 Shrink (mm) 62(W) x 65.5 (H) x 22 (D)
 Inner Box (mm) 188(L) x 90(W) x 65(H)
 Outer Carton (cm) 39.0(L) x 21.0(W) x 23.0(H)



4R25-SP1G
6V
 4 260033 156211
Packaging
 Shrink 1 pcs/pack **Gross Weight:** 6.7 kg
 Inner Box 6 packs/box **Volume:** 0.0090 cbm
 Outer Carton 12 packs/carton
Dimensions
 Shrink (mm) 68.5(W) x 68.5(H) x 115 (D)
 Inner Box (mm) 205(L) x 135(W) x 120(H)
 Outer Carton (cm) 29.0(L) x 22.0(W) x 14.0(H)



FPG-GB40
 4 260033 150905
Packaging 4 x R14P+24 x R6+
 12 x R03P+ **Gross Weight:** 13.0 kg
 1 x SL3013(Blue 3LR44) **Volume:** 0.0223 cbm
 Outer Carton 18 boxes/carton
Box (mm) 132(B) x 126(T) x 54(H)
Outer Carton (cm) 40.0 (L) x 28.0(W) x 19.5(H)

Shrink Wrap Packaging and Display Boxes

Handy Packaging!

Our shrink wrap packaging and display boxes help keep your batteries where you need them, with minimum fuss.

- Convenient, portable and durable
- Self-standing, sturdy display boxes
- Many sizes and shapes available
- Securely hold several batteries
- Professional, branded card inserts and designs for effective messaging



R6P-SP8G

1.5V AA



Packaging		
Shrink	8 pcs/pack	Gross Weight: 14.7 kg
Inner Box	20 packs/box	Volume: 0.0147 cbm
Outer Carton	6 boxes/carton	

Dimensions

Inner Box (mm)	150(L) x 118(W) x 110(H)
Outer Carton (cm)	34.5(L) x 25.0(W) x 17.0(H)

R6P-SP12G

1.5V AA



Packaging		
Shrink	12 pcs/pack	Gross Weight: 16.5 kg
Inner Box	6 packs/box	Volume: 0.0127 cbm
Outer Carton	80 boxes/carton	

Dimensions

Inner Box (mm)	175(L) x 150(W) x 110(H)
Outer Carton (cm)	31.5(L) x 19.0(W) x 24.0(H)

R03P-SP8G

1.5V AAA



Packaging		
Shrink	8 pcs/pack	Gross Weight: 15.3 kg
Inner Box	40 packs/box	Volume: 0.0141 cbm
Outer Carton	6 boxes/carton	

Dimensions

Inner Box (mm)	170(L) x 110(W) x 100(H)
Outer Carton (cm)	31.5(L) x 23.5(W) x 19.0(H)

Photo Lithium Batteries

Camelion Photo batteries are ideal for a wide range of analog cameras.



CR123A-BP1

3V



Packaging		
Blister	1 pcs/pack	Gross Weight: 5.5 kg
Inner Box	10 packs/box	Volume: 0.0243 cbm
Outer Carton	200 packs/carton	

Dimensions

Blister (mm)	84(W) x 114(H) x 17.5(D)
Inner Box (mm)	118(L) x 95(W) x 85(H)
Outer Carton (cm)	45.0(L) x 25.0(W) x 21.5(H)



CR2-BP1

3V



Packaging		
Blister	1 pcs/pack	Gross Weight: 4.5 kg
Inner Box	10 packs/box	Volume: 0.0215 cbm
Outer Carton	200 packs/carton	

Dimensions

Blister (mm)	84(W) x 114(H) x 16.5(D)
Inner Box (mm)	118(L) x 85(W) x 85(H)
Outer Carton (cm)	45.0(L) x 25.0(W) x 19.0(H)



CR-P2-BP1

6V



Packaging		
Blister	1 pcs/pack	Gross Weight: 10.0 kg
Inner Box	10 packs/box	Volume: 0.0265 cbm
Outer Carton	200 packs/carton	

Dimensions

Blister (mm)	84(W) x 114(H) x 20.5(D)
Inner Box (mm)	118(L) x 105(W) x 85(H)
Outer Carton (cm)	45.0(L) x 25.0(W) x 23.5(H)



2CR5-BP1

6V



Packaging		
Blister	1 pcs/pack	Gross Weight: 10.0 kg
Inner Box	10 packs/box	Volume: 0.0265 cbm
Outer Carton	200 packs/carton	

Dimensions

Blister (mm)	84(W) x 114(H) x 18(D)
Inner Box (mm)	118(L) x 105(W) x 85(H)
Outer Carton (cm)	45.0(L) x 25.0(W) x 23.5(H)

Electronic Button Cells

Camelion Electronic Button Cells provide stable energy for small electronic devices and are available in lithium, alkaline, silver oxide and zinc air chemistries, depending upon voltage and size requirements of your equipment. They are suitable for car keys, calculators, laser points, hearing aids and many other electronic gadgets.



Electronics Lithium 3V



ITEM	EAN	PACKAGING WxHxD(mm)	INNER BOX LxWxH(mm)	SHIPPING CARTON LxWxH(cm)	G.W.(KG)	VOLUME(CBM)
CR1216-BP1	4260033152831	56 x 92 x 3 1 PC / BLISTER	98 x 37 x 58 10 PACKS	45.5 x 31.5 x 31.5 1800 PACKS	9.5	0.0451
CR1220-BP1	4260033152824				8.0	
CR1225-BP1	4260033152817				8.0	
CR1616-BP1	4260033152800				8.0	
CR1620-BP1	4260033152794				8.5	
CR1632-BP1	4260033152923				10.4	
CR2016-BP1	4260033152787				9.5	
CR2025-BP1	4260033152770				11.0	
CR2032-BP1	4260033152763				12.0	
CR2320-BP1	4260033152756				11.5	
CR2330-BP1	4260033152749				13.0	
CR2430-BP1	4260033152732				13.5	
CR2450-BP1	4260033152725				17.5	
CR927-BP1	4260216452475	14.0				
CR1216-BP5	4260033152718	55x 190 x 3 5 PCS / BLISTER	195 x 90 x 58 30 PACKS	29.0 x 22.0 x 26.0 360 PACKS	4.5	0.0165
CR1220-BP5	4260033152701				4.5	
CR1225-BP5	4260033152695				5.0	
CR1616-BP5	4260033152688				5.5	
CR1620-BP5	4260033152671				5.5	
CR2016-BP5	4260033152664				6.5	
CR2025-BP5	4260033152657				8.0	
CR2032-BP5	4260033152640				9.0	

Electronics Alkaline 1.5V



ITEM(0%Hg)	EAN	ITEM	EAN	PACKAGING WxHxD(mm)	INNER BOX LxWxH(mm)	SHIPPING CARTON LxWxH(cm)	G.W.(KG)	VOLUME (CBM)
AG1-BP2(0%Hg)	4260216454783	AG1-BP2	4260033153074	56 x 92 x 5 2 PC / BLISTER	95 x 63 x 58 20 PACKS	39.5 x 30.5 x 31.5 1800 PACKS	7.0	0.0379
AG2-BP2(0%Hg)	4260216454790	AG2-BP2	4260033153081				7.8	
AG3-BP2(0%Hg)	4260216454806	AG3-BP2	4260033153098				8.0	
AG4-BP2(0%Hg)	4260216454622	AG4-BP2	4260033153104				7.0	
AG5-BP2(0%Hg)	4260216454813	AG5-BP2	4260033153111	56 x 92 x 7 2 PC / BLISTER	98 x 73 x 58 20 PACKS	45.5 x 31.5 x 31.5 1800 PACKS	9.0	0.0451
AG6-BP2(0%Hg)	4260216454820	AG6-BP2	4260033153128				8.0	
AG7-BP2(0%Hg)	4260216454837	AG7-BP2	4260033153135	8.5				
AG8-BP2(0%Hg)	4260216454844	AG8-BP2	4260033153142	9.0				
AG9-BP2(0%Hg)	4260216454851	AG9-BP2	4260033153159	9.0				
AG10-BP2(0%Hg)	4260216454608	AG10-BP2	4260033153166	10.0				
AG11-BP2(0%Hg)	4260216454868	AG11-BP2	4260033153173	7.0				
AG12-BP2(0%Hg)	4260216454875	AG12-BP2	4260033153180	11.0				
AG13-BP2(0%Hg)	4260216454615	AG13-BP2	4260033153197	13.0				
625A-BP1(0%Hg)	4260216454882	625A-BP1	4260033153234	56 x 92 x 7 1 PC / BLISTER	146 x 98 x 58 40 PACKS	45.5 x 31.5 x 31.5 1800 PACKS	18.0	0.0451
AG0-BP10(0%Hg)	4260216454899	AG0-BP10	4260033153203				4.0	
AG1-BP10(0%Hg)	4260216454905	AG1-BP10	4260033152947	4.0				
AG2-BP10(0%Hg)	4260216454912	AG2-BP10	4260033152954	4.5				
AG3-BP10(0%Hg)	4260216454929	AG3-BP10	4260033152961	5.0				
AG4-BP10(0%Hg)	4260216454400	AG4-BP10	4260033152978	4.0				
AG5-BP10(0%Hg)	4260216454936	AG5-BP10	4260033152985	6.5				
AG6-BP10(0%Hg)	4260216454943	AG6-BP10	4260033152992	5.0				
AG7-BP10(0%Hg)	4260216454950	AG7-BP10	4260033153005	5.5				
AG8-BP10(0%Hg)	4260216454967	AG8-BP10	4260033153012	6.0				
AG9-BP10(0%Hg)	4260216454974	AG9-BP10	4260033153029	6.0				
AG10-BP10(0%Hg)	4260216454981	AG10-BP10	4260033153036	7.0				
AG11-BP10(0%Hg)	4260216454998	AG11-BP10	4260033153043	4.0				
AG12-BP10(0%Hg)	4260216455001	AG12-BP10	4260033153050	8.7				
AG13-BP10(0%Hg)	4260216455018	AG13-BP10	4260033153067	10.0				

Industrial Classifications

AG0	LR521	G0			379
AG1	LR621	G1	LR60	164	364
AG2	LR726	G2	LR59	196	396
AG3	LR41	G3	LR41	192	392
AG4	LR626	G4	LR66	177	377
AG5	LR754	G5	LR48	193	393
AG6	LR921	G6	LR69	171	371
AG7	LR926	G7	LR57	195	395
AG8	LR1120	G8	LR55	191	391
AG9	LR936	G9	LR45	194	394
AG10	LR1130	G10	LR54	189	389
AG11	LR721	G11	LR58	162	362
AG12	LR43	G12	LR43	186	386
AG13	LR44	G13	LR44	A76	357

Remote Control Batteries 6V/12V



ITEM(0%Hg)	EAN	ITEM	EAN	Voltage (V)	PACKAGING WxHxD(mm)	INNER BOX LxWxH(mm)	SHIPPING CARTON LxWxH(cm)	G.W.(KG)	VOLUME (CBM)
A11-BP1(0%Hg)	4260216455049	A11-BP1	4260216452772	6V	56 x 92 x 10 1 PC / BLISTER	125 x 95 x 58 20 PACKS	39.5 x 30.5 x 31.5 900 PACKS	7.6	0.0380
A23-BP1(0%Hg)	4260216455056	A23-BP1	4260033153326	12V				8.6	
A27-BP1(0%Hg)	4260216455063	A27-BP1	4260033153333	12V				8.0	
A23-BP5(0%Hg)	4260216455087	A23-BP5	4260033153302	12V	50x 160 x 10 5 PCS / BLISTER	170 x 65 x 52 10 PACKS	42.0 x 36.0 x 18.0 360 PACKS	18.0	0.0273
A27-BP5(0%Hg)	4260216455094	A27-BP5	4260033153319	12V				12.0	



4LR44-BP1C(0% Hg)

6V



Packaging
Blister 1 pcs/pack
Inner Box 20 packs/box
Outer Carton 900 packs/carton

Gross Weight: 15.0 kg
Volume: 0.0451 cbm

Dimensions
Blister (mm) 56(W)x 92(H) x (D)
Inner Box (mm) 145(L)x 95(W) x 58(H)
Outer Carton (cm) 45.5(L)x 31.5(W) x 31.5(H)



4LR44-BP1C

6V



Packaging
Blister 1 pcs/pack
Inner Box 20 packs/box
Outer Carton 900 packs/carton

Gross Weight: 15.0 kg
Volume: 0.0451 cbm

Dimensions
Blister (mm) 56(W)x 92(H) x (D)
Inner Box (mm) 145(L)x 95(W) x 58(H)
Outer Carton (cm) 45.5(L)x 31.5(W) x 31.5(H)

Industrial Classifications

SG0	SR521	G0	SR63	379
SG1	SR621	G1	SR60	364
SG2	SR726	G2	SR59	396
SG3	SR41	G3	SR41	392
SG4	SR626	G4	SR66	377
SG5	SR754	G5	SR48	393
SG6	SR921	G6	SR69	371
SG7	SR926	G7	SR57	395
SG8	SR1120	G8	SR55	391
SG9	SR936	G9	SR45	394
SG10	SR1130	G10	SR54	389
SG11	SR721	G11	SR58	362
SG12	SR43	G12	SR43	386
SG13	SR44	G13	SR44	357

Electronics Silver Oxide 1.55V



ITEM(0% Hg)	EAN	ITEM	EAN	PACKAGING WxHxD(mm)	INNER BOX LxWxH(mm)	SHIPPING CARTON LxWxH(cm)	G.W. (KG)	VOLUME (CBM)
SR41-BP1(0%Hg)	4260216455117	SR41-BP1	4260033152442	55x 92 x 5 1 PC / BLISTER	145 x 95 x 58 40 PACKS	45.5 x 31.5 x 31.5 1800 PACKS	8.5	0.0451
SR43-BP1(0%Hg)	4260216455124	SR43-BP1	4260033152503				10.5	
SR44-BP1(0%Hg)	4260216455131	SR44-BP1	4260033152510				11.5	
SR54-BP1(0%Hg)	4260216455148	SR54-BP1	4260033152527				9.5	
SR57-BP1(0%Hg)	4260216455155	SR57-BP1	4260033152541				8.5	
SR58-BP1(0%Hg)	4260216455162	SR58-BP1	4260033152459				8	
SR59-BP1(0%Hg)	4260216455179	SR59-BP1	4260033152466				8	
SR60-BP1(0%Hg)	4260216455186	SR60-BP1	4260033152473				8	
SR63-BP1(0%Hg)	4260216455193	SR63-BP1	4260033152480				7.5	
SR66-BP1(0%Hg)	4260216455209	SR66-BP1	4260033152497				8	
SR69-BP1(0%Hg)	4260216455216	SR69-BP1	4260033152534	9.5				
SR41-BP5(0%Hg)	4260216455223	SR41-BP5	4260033152343	55x 190 x 5 5 PCS / BLISTER	195 x 90 x 58 20 PACKS	37.0 x 21.7 x 29.5 360 PACKS	4.5	0.0237
SR43-BP5(0%Hg)	4260216455230	SR43-BP5	4260033152404				6.5	
SR44-BP5(0%Hg)	4260216455247	SR44-BP5	4260033152411				7.5	
SR54-BP5(0%Hg)	4260216455254	SR54-BP5	4260033152428				5.5	
SR57-BP5(0%Hg)	4260216455261	SR57-BP5	4260216453588				4.5	
SR58-BP5(0%Hg)	4260216455278	SR58-BP5	4260033152350				4	
SR59-BP5(0%Hg)	4260216455285	SR59-BP5	4260033152367				4	
SR60-BP5(0%Hg)	4260216455292	SR60-BP5	4260033152374				4	
SR63-BP5(0%Hg)	4260216455308	SR63-BP5	4260033152381				3.5	
SR66-BP5(0%Hg)	4260216455315	SR66-BP5	4260033152398				4	
SR69-BP5(0%Hg)	4260216455322	SR69-BP5	4260033152435	5.5				



4SR44-BP1C(0% Hg)

6.2V

4 260216455032

Packaging: 1 pcs/pack
Blister: 20 packs/box
Inner Box: 900 packs/carton
Outer Carton: 900 packs/carton

Gross Weight: 15.0 kg
Volume: 0.0451 cbm

Dimensions

Blister (mm): 55(W)x 92(H) x 5(D)
Inner Box (mm): 145(L)x 95(W) x 58(H)
Outer Carton (cm): 45.5(L)x 31.5(W) x 31.5(H)



4SR44-BP1C

6.2V

4 260033153470

Packaging: 1 pcs/pack
Blister: 20 packs/box
Inner Box: 900 packs/carton
Outer Carton: 900 packs/carton

Gross Weight: 15.0 kg
Volume: 0.0451 cbm

Dimensions

Blister (mm): 55(W)x 92(H) x 5(D)
Inner Box (mm): 145(L)x 95(W) x 58(H)
Outer Carton (cm): 45.5(L)x 31.5(W) x 31.5(H)

Zinc Air 1.4V

Camelion Hearing Aid batteries are light and reliable. They are conveniently packaged to make them easy to use.




ITEM	EAN	WxHxD (mm)	PACKAGING	WxHxD (mm)	INNER BOX	WxHxD (mm)	INNER CARTON	WxHxD (cm)	SHIPPING CARTON	G.W. (KG)	VOLUME (CBM)
A13-BP6	4260033151971	48 x 90 x 6.5	6PCS/Blister	92 x42 x 50	10 Packs	245 x 120 x 130	100 Packs	62 x 26 x 15	500 Packs	6.5	0.0242
A10-BP6	4260033151988	48 x 90 x 4.5	6PCS/Blister	92 x32 x 50	10 Packs	195 x 120 x 130	100 Packs	62 x 21 x 15	500 Packs	6.0	0.0196
A675-BP6	4260033151964	48 x 90 x 6.5	6PCS/Blister	92 x42 x 50	10 Packs	245 x 120 x 130	100 Packs	62 x 26 x 15	500 Packs	9.5	0.0242
A312-BP6	4260033151995	48 x 90 x 4.5	6PCS/Blister	92 x32 x 50	10 Packs	195 x 120 x 130	100 Packs	62 x 21 x 15	500 Packs	6.5	0.0196

Battery Adapter



BA-C: 4 260033 157546
BA-D: 4 260033 157553
BT-CBP2: 4 260033 156518
BT-DBP2: 4 260033 156525

For Rechargeable & Non-Rechargeable Batteries



Warning:

When using two or more adapters together, avoid mixing new and used batteries, batteries with different charge levels or different types and brands. Don't mix adapters with actual D batteries in the device. Please insert the AA batteries into the adapter correctly. Remove battery after use, or when not in use. Store adapter separately from battery. Do not recharge battery while in the adapter.

Battery Case




BCAA/AAA-BP1: 4 260216 452536
MBC4-P: 4 260033 157539

MAIN FEATURES

- Durable plastic case holds up to 4 AA/AAA batteries.
- Keep your batteries together and safe.

Directions



Battery Tester

BT-0503
Tests AA, AAA, C, D, 9V and some models of button cell

MAIN FEATURES

- Quickly determines if battery needs charging or replacing
- On the spot testing - just insert and check LED
- Compact & light

BT-0503

4 260033 157508

Packaging: 1 pcs/pack
Blister: 60 packs/box
Inner Box: 240 packs/carton
Outer Carton: 900 packs/carton

Gross Weight: 8.7 kg
Volume: 0.0388 cbm

Dimensions: 65(W)x 154(H) x 16(D)
Inner Box (cm): 44(L)x 11.5(W) x 16.5(H)
Outer Carton (cm): 45(L)x 34.5(W) x 25(H)

BT-0506
Tests AA, AAA, C, D, 9V and some models of button cell

MAIN FEATURES

- Easy to Read LCD Display for displaying real time battery conditions.
- Three-color Scale and Voltage Level for easily reading the battery voltage and power conditions.
- Wide Usage Available to test most 1.5V and 9V batteries.
- Retractable Test Arm easily adapts to different battery types.
- Compact and Portable

BT-0506

4 260216 453748

Packaging: 1 pcs/pack
Blister: 12 packs/box
Inner Box: 96 packs/carton
Outer Carton: 96 packs/carton

Gross Weight: 6.5 kg
Volume: 0.0459 cbm

Dimensions: 65(W)x 154(H) x 28(D)
Inner Box (cm): 37(L)x 16.5(W) x 8(H)
Outer Carton (cm): 38(L)x 35(W) x 34.5(H)

BT-0503 Easy Slide Contact Bar

BT-0506 LCD display, Battery case cover, 1 anode and cathode for 9V 9F22

Device Chart

✓ BEST
 ✓ GOOD
 ■ NO

Classification	Camelion Series	Lithium Batteries	Alkaline Primary		Carbon Zinc	Lithium Photo	Silver Oxide	Lithium Button Cell	Alkaline Button Cell	Zinc Air
		Lithium P7	Digi-Alkaline	Plus Alkaline	Super Heavy Duty	Lithium Photo	Micro Batteries	Micro Batteries	Micro Batteries	Hearing Aid
Music	MP3	✓	✓	✓						
	Walkman	✓	✓	✓	✓					
	iPod®									
	CD/DVD/MiniDisc	✓	✓							
	Headphones	✓	✓	✓	✓					
	Boombox	✓	✓							
	Karaoke							✓		
	AM/FM Radio	✓	✓	✓	✓		✓	✓	✓	
Toys & Games	Cassette	✓	✓	✓	✓					
	Remote Control/Toys	✓	✓	✓	✓		✓		✓	
	Racing Car	✓	✓	✓	✓		✓			
	Plays tation®	✓	✓	✓	✓		✓			
Photo & Video	Blinker								✓	
	Laser Point								✓	
	Digital Camera	✓	✓			✓		✓	✓	
	Liquid Crystal TVs	✓	✓	✓						
	Portable Reader									
	CCTV/Surveillance									
	Analog Camera	✓	✓	✓		✓	✓	✓		
Mobile & Professional	Camcorder							✓		
	Flashlight		✓	✓	✓	✓		✓		
	Cellular & Cordless Phone							✓		
	Bluetooth									
	Mobile Phone									
	PDA Phone									
	IP Phone									
Office Appliances	Blackberry®									
	Transceivers		✓	✓	✓					
	Pagers		✓	✓	✓					✓
	Notebook							✓		
	Hand Copy/Fax Machines		✓	✓	✓			✓		
	Transcribers		✓	✓	✓					
	Walkie Talkie									
Other	Watches & Electronics						✓	✓	✓	
	Calculator		✓	✓	✓		✓	✓	✓	
	Car Alarm							✓		
	Wi-Fi							✓		
	PDA							✓		
	Clocks		✓	✓	✓			✓	✓	
	Infrared Inductor		✓	✓	✓					
	Micrometers						✓			
	Interphones/telephones			✓	✓					
	Electronic lighters						✓	✓		
Other	Strobe lights		✓					✓		
	Autowinders		✓							
	Shavers		✓							
	IC/ID Cards							✓		
	Hearing Aid									✓
	Smoke Alarm									
	Measuring Devices		✓	✓	✓			✓	✓	

Please Note:

These are recommended matchings only.
 For the most accurate information please refer to your device manufacturer's specifications.
 Camelion accepts no responsibility for any accidents resulting from use of this information.

Specifications

	Lithium P7		Digi Alkaline		Plus Alkaline						Super Heavy Duty								
	FR6	FR03	LR6	LR03	LR20	LR14	LR6	LR03	LR61	6LF22**	3LR12	R6	R03	R20	R14	6F22**	3R12*	4R25**	R10
Nominal Voltage(V)	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	9	4.5	1.5	1.5	1.5	1.5	9	4.5	6	1.5
Average Capacity(mAh)	2900	1050	3220	1280	21000	8450	2800	1250	580	700**	5900*	1220	550	8050	3850	450	2000	11000	500

20+-2°C, Rated capacity at 25 mA continuous drain, to 0.8V
 * 20+-2°C, Rated capacity at 25 mA continuous drain, to 2.7V
 ** 20+-2°C, Rated capacity at 25 mA continuous drain, to 4.8V

Rechargeable

AlwaysReady™

Ni-MH Always Ready Rechargeable Batteries

The new Camelion AlwaysReady battery is ready to be used right from the package. It holds the charge for up to a year. And they can be recharged again and again, saving you money. Are you ready? Try AlwaysReady batteries today!



MAX ——— Maximum capacity, ideal for professional use



NH-AA2500ARBP4

1.2V AA	
4 260216 453045	
Packaging	4 pcs/pack
Blister	12 packs/box
Inner Box	96 packs/carton
Outer Carton	12.0 kg
	Gross Weight:
	12.0 kg
	Volume:
	0.0144 cbm
Dimensions	
Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	29.0(L) x 21.5(W) x 23.0(H)



NH-AA2500ARBP2

1.2V AA	
4 260216 453038	
Packaging	2 pcs/pack
Blister	12 packs/box
Inner Box	192 packs/carton
Outer Carton	13.1 kg
	Gross Weight:
	13.1 kg
	Volume:
	0.0274 cbm
Dimensions	
Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	41.0(L) x 29.0(W) x 23.0(H)



PREMIUM ——— Suitable for all high drain devices



NH-AA2300ARBP4

1.2V AA	
4 260033 154040	
Packaging	4 pcs/pack
Blister	12 packs/box
Inner Box	96 packs/carton
Outer Carton	11.8 kg
	Gross Weight:
	11.8 kg
	Volume:
	0.0144 cbm
Dimensions	
Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	29.0(L) x 21.5(W) x 23.0(H)



NH-AA2300ARBP2

1.2V AA	
4 260033 152336	
Packaging	2 pcs/pack
Blister	12 packs/box
Inner Box	192 packs/carton
Outer Carton	12.9 kg
	Gross Weight:
	12.9 kg
	Volume:
	0.0274 cbm
Dimensions	
Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	41.0(L) x 29.0(W) x 23.0(H)



NH-AA2100ARBP4

1.2V AA	
4 260033 152282	
Packaging	4 pcs/pack
Blister	12 packs/box
Inner Box	96 packs/carton
Outer Carton	11.7 kg
	Gross Weight:
	11.7 kg
	Volume:
	0.0143 cbm
Dimensions	
Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	29.0(L) x 21.5(W) x 23.0(H)



NH-AA2100ARBP2

1.2V AA	
4 260033 152275	
Packaging	2 pcs/pack
Blister	12 packs/box
Inner Box	192 packs/carton
Outer Carton	12.7 kg
	Gross Weight:
	12.7 kg
	Volume:
	0.0273 cbm
Dimensions	
Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	41.0(L) x 29.0(W) x 23.0(H)



NH-AAA800ARBP4

1.2V AAA	
4 260033 152312	
Packaging	4 pcs/pack
Blister	12 packs/box
Inner Box	144 packs/carton
Outer Carton	9.2 kg
	Gross Weight:
	9.2 kg
	Volume:
	0.0168 cbm
Dimensions	
Blister (mm)	90(W) x 117(H) x 11(D)
Inner Box (mm)	125(L) x 84(W) x 97(H)
Outer Carton (cm)	31.0(L) x 27.0(W) x 20.0(H)



NH-AAA800ARBP2

1.2V AAA	
4 260033 152305	
Packaging	2 pcs/pack
Blister	12 packs/box
Inner Box	240 packs/carton
Outer Carton	8.4 kg
	Gross Weight:
	8.4 kg
	Volume:
	0.0269 cbm
Dimensions	
Blister (mm)	90(W) x 117(H) x 11(D)
Inner Box (mm)	125(L) x 84(W) x 97(H)
Outer Carton (cm)	51.0(L) x 27.0(W) x 19.5(H)



NH-9V200ARBP1

9V	
4 260033 155221	
Packaging	1 pcs/pack
Blister	12 packs/box
Inner Box	240 packs/carton
Outer Carton	12.0 kg
	Gross Weight:
	12.0 kg
	Volume:
	0.0385 cbm
Dimensions	
Blister (mm)	90(W) x 117(H) x 18(D)
Inner Box (mm)	135(L) x 125(W) x 97(H)
Outer Carton (cm)	51.0(L) x 29.0(W) x 26.0(H)



Long Life ——— Maximum rechargeable life cycle up to 1500 cycles

NH-AA800ARBP2

1.2V AA	
4 260216 453236	
Packaging	2 pcs/pack
Blister	12 packs/box
Inner Box	192 packs/carton
Outer Carton	12.4 kg
	Gross Weight:
	12.4 kg
	Volume:
	0.0274 cbm
Dimensions	
Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	41.0(L) x 29.0(W) x 23.0(H)



Ni-MH Rechargeable Batteries

Camelion Ni-MH Rechargeable batteries offer high capacity performance, up to 1000 recharge cycles, and because they are used again and again they help reduce environmental waste. High drain devices such as music players and digital cameras are supported, therefore, you can hear more songs and take more photos.



NH-D1000BP2
1.2V D
 Packaging 4 260033 151865
 Blister 2 pcs/pack Gross Weight: 17.0 kg
 Inner Box 6 packs/box Volume: 0.0244 cbm
 Outer Carton 48 packs/carton
 Dimensions
 Blister (mm) 90(W) x 117(H) x 34(D)
 Inner Box (mm) 165(L) x 135(W) x 105(H)
 Outer Carton (cm) 43.5(L) x 35.0(W) x 16.0(H)



NH-D2500BP2
1.2V D
 Packaging 4 260033 151537
 Blister 2 pcs/pack Gross Weight: 11.2 kg
 Inner Box 6 packs/box Volume: 0.0234 cbm
 Outer Carton 60 packs/carton
 Dimensions
 Blister (mm) 90(W) x 117(H) x 34(D)
 Inner Box (mm) 160(L) x 112(W) x 97(H)
 Outer Carton (cm) 34.0(L) x 27.5(W) x 25.0(H)



NH-D7000BP2
1.2V D
 Packaging 4 260033 151520
 Blister 2 pcs/pack Gross Weight: 19.0 kg
 Inner Box 6 packs/box Volume: 0.0234 cbm
 Outer Carton 60 packs/carton
 Dimensions
 Blister (mm) 90(W) x 117(H) x 34(D)
 Inner Box (mm) 160(L) x 112(W) x 97(H)
 Outer Carton (cm) 34.0(L) x 27.5(W) x 25.0(H)



NH-C2500BP2
1.2V C
 Packaging 4 260033 151551
 Blister 2 pcs/pack Gross Weight: 16.0 kg
 Inner Box 6 packs/box Volume: 0.0248 cbm
 Outer Carton 96 packs/carton
 Dimensions
 Blister (mm) 90(W) x 117(H) x 27(D)
 Inner Box (mm) 138(L) x 90(W) x 97(H)
 Outer Carton (cm) 41.0(L) x 29.5(W) x 20.5(H)



NH-C3500BP2
1.2V C
 Packaging 4 260033 151544
 Blister 2 pcs/pack Gross Weight: 16.8 kg
 Inner Box 6 packs/box Volume: 0.0248 cbm
 Outer Carton 96 packs/carton
 Dimensions
 Blister (mm) 90(W) x 117(H) x 27(D)
 Inner Box (mm) 138(L) x 90(W) x 97(H)
 Outer Carton (cm) 41.0(L) x 29.5(W) x 20.5(H)



NH-AA2700BC2
1.2V AA
 Packaging 4 260033 151926
 Blister 2 pcs/pack Gross Weight: 14.0 kg
 Inner Box 12 packs/box Volume: 0.0274 cbm
 Outer Carton 192 packs/carton
 Dimensions
 Blister (mm) 90(W) x 117(H) x 15(D)
 Inner Box (mm) 134(L) x 104(W) x 97(H)
 Outer Carton (cm) 41.0(L) x 29.0(W) x 23.0(H)



NH-AA2700BC4
1.2V AA
 Packaging 4 260033 151933
 Blister 4 pcs/pack Gross Weight: 13.4 kg
 Inner Box 12 packs/box Volume: 0.0144 cbm
 Outer Carton 96 packs/carton
 Dimensions
 Blister (mm) 90(W) x 117(H) x 15(D)
 Inner Box (mm) 134(L) x 104(W) x 97(H)
 Outer Carton (cm) 29.0(L) x 21.5(W) x 23.0(H)



NH-AA2600BC4
1.2V AA
 Packaging 4 260033 151902
 Blister 4 pcs/pack Gross Weight: 13.2 kg
 Inner Box 12 packs/box Volume: 0.0144 cbm
 Outer Carton 96 packs/carton
 Dimensions
 Blister (mm) 90(W) x 117(H) x 15(D)
 Inner Box (mm) 134(L) x 104(W) x 97(H)
 Outer Carton (cm) 29.0(L) x 21.5(W) x 23.0(H)



NH-AA2500BC4
1.2V AA
 Packaging 4 260033 151834
 Blister 4 pcs/pack Gross Weight: 13.0 kg
 Inner Box 12 packs/box Volume: 0.0144 cbm
 Outer Carton 96 packs/carton
 Dimensions
 Blister (mm) 90(W) x 117(H) x 15(D)
 Inner Box (mm) 134(L) x 104(W) x 97(H)
 Outer Carton (cm) 29.0(L) x 21.5(W) x 23.0(H)



NH-AA2300BP4
1.2V AA
 Packaging 4 260033 151742
 Blister 4 pcs/pack Gross Weight: 12.6 kg
 Inner Box 12 packs/box Volume: 0.0144 cbm
 Outer Carton 96 packs/carton
 Dimensions
 Blister (mm) 90(W) x 117(H) x 15(D)
 Inner Box (mm) 134(L) x 104(W) x 97(H)
 Outer Carton (cm) 29.0(L) x 21.5(W) x 23.0(H)



NH-AA2000BP2
1.2V AA
 Packaging 4 260033 151582
 Blister 2 pcs/pack Gross Weight: 13.1 kg
 Inner Box 12 packs/box Volume: 0.0274 cbm
 Outer Carton 192 packs/carton
 Dimensions
 Blister (mm) 90(W) x 117(H) x 15(D)
 Inner Box (mm) 134(L) x 104(W) x 97(H)
 Outer Carton (cm) 41.0(L) x 29.0(W) x 23.0(H)



NH-AA2600BC2
1.2V AA
 Packaging 4 260033 151896
 Blister 2 pcs/pack Gross Weight: 14.5 kg
 Inner Box 12 packs/box Volume: 0.0274 cbm
 Outer Carton 192 packs/carton
 Dimensions
 Blister (mm) 90(W) x 117(H) x 15(D)
 Inner Box (mm) 134(L) x 104(W) x 97(H)
 Outer Carton (cm) 41.0(L) x 29.0(W) x 23.0(H)



NH-AA2500BC2
1.2V AA
 Packaging 4 260033 151827
 Blister 2 pcs/pack Gross Weight: 14.3 kg
 Inner Box 12 packs/box Volume: 0.0274 cbm
 Outer Carton 192 packs/carton
 Dimensions
 Blister (mm) 90(W) x 117(H) x 15(D)
 Inner Box (mm) 134(L) x 104(W) x 97(H)
 Outer Carton (cm) 41.0(L) x 29.0(W) x 23.0(H)



NH-AA2300BP2
1.2V AA
 Packaging 4 260033 151735
 Blister 2 pcs/pack Gross Weight: 13.9 kg
 Inner Box 12 packs/box Volume: 0.0274 cbm
 Outer Carton 192 packs/carton
 Dimensions
 Blister (mm) 90(W) x 117(H) x 15(D)
 Inner Box (mm) 134(L) x 104(W) x 97(H)
 Outer Carton (cm) 41.0(L) x 29.0(W) x 23.0(H)



NH-AA1800BP4
1.2V AA
 Packaging 4 260033 151612
 Blister 4 pcs/pack Gross Weight: 11.8 kg
 Inner Box 12 packs/box Volume: 0.0144 cbm
 Outer Carton 96 packs/carton
 Dimensions
 Blister (mm) 90(W) x 117(H) x 15(D)
 Inner Box (mm) 134(L) x 104(W) x 97(H)
 Outer Carton (cm) 29.0(L) x 21.5(W) x 23.0(H)



NH-AA1800BP2

1.2V AA
 Packaging 4 260033 151605
 Blister 2 pcs/pack Gross Weight: 12.7 kg
 Inner Box 12 packs/box Volume: 0.0274 cbm
 Outer Carton 192 packs/carton
 Dimensions
 Blister (mm) 90(W) x 117(H) x 15(D)
 Inner Box (mm) 134(L) x 104(W) x 97(H)
 Outer Carton (cm) 41.0(L) x 29.0(W) x 23.0(H)



NH-AA1500BP2

1.2V AA
 Packaging 4 260033 151629
 Blister 2 pcs/pack Gross Weight: 11.2 kg
 Inner Box 12 packs/box Volume: 0.0274 cbm
 Outer Carton 192 packs/carton
 Dimensions
 Blister (mm) 90(W) x 117(H) x 15(D)
 Inner Box (mm) 134(L) x 104(W) x 97(H)
 Outer Carton (cm) 41.0(L) x 29.0(W) x 23.0(H)



NH-AAA800BP4

1.2V AAA
 Packaging 4 260033 151674
 Blister 4 pcs/pack Gross Weight: 7.8 kg
 Inner Box 12 packs/box Volume: 0.0168 cbm
 Outer Carton 144 packs/carton
 Dimensions
 Blister (mm) 90(W) x 117(H) x 11(D)
 Inner Box (mm) 125(L) x 84(W) x 97(H)
 Outer Carton (cm) 31.0(L) x 27.0(W) x 20.0(H)



NH-AAA800BP2

1.2V AAA
 Packaging 4 260033 151667
 Blister 2 pcs/pack Gross Weight: 7.7 kg
 Inner Box 12 packs/box Volume: 0.0269 cbm
 Outer Carton 240 packs/carton
 Dimensions
 Blister (mm) 90(W) x 117(H) x 11(D)
 Inner Box (mm) 125(L) x 84(W) x 97(H)
 Outer Carton (cm) 51.0(L) x 27.0(W) x 19.5(H)



NH-AAA1100BP4

1.2V AAA
 Packaging 4 260033 151957
 Blister 4 pcs/pack Gross Weight: 9.8 kg
 Inner Box 12 packs/box Volume: 0.0168 cbm
 Outer Carton 144 packs/carton
 Dimensions
 Blister (mm) 90(W) x 117(H) x 11(D)
 Inner Box (mm) 125(L) x 84(W) x 97(H)
 Outer Carton (cm) 31.0(L) x 27.0(W) x 20.0(H)



NH-AAA1100BP2

1.2V AAA
 Packaging 4 260033 151940
 Blister 2 pcs/pack Gross Weight: 9.7 kg
 Inner Box 12 packs/box Volume: 0.0269 cbm
 Outer Carton 240 packs/carton
 Dimensions
 Blister (mm) 90(W) x 117(H) x 11(D)
 Inner Box (mm) 125(L) x 84(W) x 97(H)
 Outer Carton (cm) 51.0(L) x 27.0(W) x 19.5(H)



NH-AAA600BP4

1.2V AAA
 Packaging 4 260033 151711
 Blister 4 pcs/pack Gross Weight: 7.8 kg
 Inner Box 12 packs/box Volume: 0.0168 cbm
 Outer Carton 144 packs/carton
 Dimensions
 Blister (mm) 90(W) x 117(H) x 11(D)
 Inner Box (mm) 125(L) x 84(W) x 97(H)
 Outer Carton (cm) 31.0(L) x 27.0(W) x 20.0(H)



NH-AAA600BP2

1.2V AAA
 Packaging 4 260033 151704
 Blister 2 pcs/pack Gross Weight: 7.7 kg
 Inner Box 12 packs/box Volume: 0.0269 cbm
 Outer Carton 240 packs/carton
 Dimensions
 Blister (mm) 90(W) x 117(H) x 11(D)
 Inner Box (mm) 125(L) x 84(W) x 97(H)
 Outer Carton (cm) 51.0(L) x 27.0(W) x 19.5(H)



NH-AAA1000BP4

1.2V AAA
 Packaging 4 260033 151889
 Blister 4 pcs/pack Gross Weight: 8.7 kg
 Inner Box 12 packs/box Volume: 0.0168 cbm
 Outer Carton 144 packs/carton
 Dimensions
 Blister (mm) 90(W) x 117(H) x 11(D)
 Inner Box (mm) 125(L) x 84(W) x 97(H)
 Outer Carton (cm) 31.0(L) x 27.0(W) x 20.0(H)



NH-AAA1000BP2

1.2V AAA
 Packaging 4 260033 151872
 Blister 2 pcs/pack Gross Weight: 8.7 kg
 Inner Box 12 packs/box Volume: 0.0269 cbm
 Outer Carton 240 packs/carton
 Dimensions
 Blister (mm) 90(W) x 117(H) x 11(D)
 Inner Box (mm) 125(L) x 84(W) x 97(H)
 Outer Carton (cm) 51.0(L) x 27.0(W) x 19.5(H)



NH-9V250BP1

9V Voltage: 8.4V
 Packaging 4 260033 151810
 Blister 1 pcs/pack Gross Weight: 12.3 kg
 Inner Box 12 packs/box Volume: 0.0385 cbm
 Outer Carton 240 packs/carton
 Dimensions
 Blister (mm) 90(W) x 117(H) x 18(D)
 Inner Box (mm) 135(L) x 125(W) x 97(H)
 Outer Carton (cm) 51.0(L) x 29.0(W) x 26.0(H)



NH-9V200BP1

9V Voltage: 8.4V
 Packaging 4 260033 151728
 Blister 1 pcs/pack Gross Weight: 11.6 kg
 Inner Box 12 packs/box Volume: 0.0385 cbm
 Outer Carton 240 packs/carton
 Dimensions
 Blister (mm) 90(W) x 117(H) x 18(D)
 Inner Box (mm) 135(L) x 125(W) x 97(H)
 Outer Carton (cm) 51.0(L) x 29.0(W) x 26.0(H)



NH-AAA900BP4

1.2V AAA
 Packaging 4 260033 151766
 Blister 4 pcs/pack Gross Weight: 8.7 kg
 Inner Box 12 packs/box Volume: 0.0168 cbm
 Outer Carton 144 packs/carton
 Dimensions
 Blister (mm) 90(W) x 117(H) x 11(D)
 Inner Box (mm) 125(L) x 84(W) x 97(H)
 Outer Carton (cm) 31.0(L) x 27.0(W) x 20.0(H)



NH-AAA900BP2

1.2V AAA
 Packaging 4 260033 151759
 Blister 2 pcs/pack Gross Weight: 8.7 kg
 Inner Box 12 packs/box Volume: 0.0269 cbm
 Outer Carton 240 packs/carton
 Dimensions
 Blister (mm) 90(W) x 117(H) x 11(D)
 Inner Box (mm) 125(L) x 84(W) x 97(H)
 Outer Carton (cm) 51.0(L) x 27.0(W) x 19.5(H)

> Green Energy Charger

These chargers are designed to help reduce damage to the environment. We own include our new solar charger with USB or solar charging. This unit offers economical charging by using the sun's energy, therefore, reducing electricity consumption.

SBC3001

Charges:

2 or 4 x AA

2 x AAA

Ni-MH



Solar Charger

Solar Charger



Uses sunlight to charge batteries!

Include USB Power:



USB Charger



Battery Tester



Power Supply



USB



SPECIFICATIONS

Charging Currents

200 mA (2 Pcs)
100 mA (4 Pcs)



USB output

5.0V \pm 350 mA

MAIN FEATURES

- **3 Independent Charging Channels** Charges up to 2 pairs of AA batteries or 1 pair of AAA batteries.
- **Reverse Polarity Protection** Prevents damage to the charger if the battery is improperly inserted.
- **Clean Energy** No need to use electricity, just use the sun's rays for power.
- **Saves Money** Reduces electricity consumption and purchases of single cell batteries.
- **USB Ports** Use to charge batteries or power your portable electronic devices.

- **Compact Lightweight Design** Convenient for travel or emergency use.
- **Battery Tester** Tests rechargeable or primary AA/AAA batteries.



Red or all LEDs are Off: Replace or Recharge

CHARGING TIMES

Type of Battery	Charging Times (Appr.)	
	2 Cells	4 Cells
Ni-MH AA 2000 mAh	14 h	27 h
Ni-MH AA 1500 mAh	10 h	21 h
Ni-MH AAA 800 mAh	5 h	10.6

AVAILABLE COLORS

Black

BARCODE



4 260033 155719

PACKAGING



Blister	
Weight(g)	218.9
Dimensions (W) x (H) x (D) (mm)	168 x 250 x 83
Inner Carton	
Packs / Inner ctn	8
Net Weight(kg)	1.75
Gross Weight(kg)	2.15
Dimensions (L) x (W) x (H) (cm)	40 x 26 x 18
Outer Carton	
Packs / Carton	16
Net Weight(kg)	3.5
Gross Weight(kg)	4.7
Dimensions (L) x (W) x (H) (cm)	41.5 x 27.5 x 38.5
Volume(cbm)	0.0440

> Ultra Fast Chargers

Offer the ultimate in speed charging. In as little as one hour one can use the same batteries again, saving time and money.

BC-0907

Charges:

1-4 x AA

1-4 x AAA

Ni-MH



AC Adapter



Car Adapter

SPECIFICATIONS

AC To DC Adapter

Input: 100-240V ~ 50/60Hz
Output : 12V \pm

Car Plug

Output : 12V \pm

Charger

Charging Currents
4x(1.4V \pm 2200 mA) AA Size
4x(1.4V \pm 800 mA) AAA Size

MAIN FEATURES

- **4 Independent Charging Channels**
- **6 Level Charge Protection**
 - Δ V Cut-Off
 - Timer Control Protection (1.5 hours)
 - Over Temperature Protection
 - Reverse Polarity Protection
 - Over Current and Short Circuit Protection
 - Defective and Non-rechargeable Battery Detection
- **Low Current Leakage** Minimizes loss of capacity and maintains battery charge by controlling current leakage.
- **Trickle Charge** maintains battery charge.
- **World Voltage Switch Adapter**
- **Battery Refresh** reduces memory effect and enables full discharge for long battery life.
- **Car Plug Adapter**
- **Pulse Charging Technology** for fast, efficient charging.
- **Easy To Read LCD Display** shows Charging Progress, Defective Battery, Battery Refresh Features.



AVAILABLE COLORS

Silver

BARCODE



4 260033 157706

PACKAGING



Blister	
Plug:	TUV
Weight(g)	336
Dimensions (W) x (H) x (D) (mm)	125 x 205 x 67
Inner Carton	
Packs / Inner ctn	8
Net Weight(kg)	2.7
Gross Weight(kg)	3.25
Dimensions (L) x (W) x (H) (cm)	53 x 27 x 19
Outer Carton	
Packs / Carton	16
Net Weight(kg)	5.4
Gross Weight(kg)	7
Dimensions (L) x (W) x (H) (cm)	54.5 x 28.5 x 40.5
Volume(M ³)	0.0629

> Super Fast Chargers

It charges most batteries in 1 to 4 hours. They also offer multiple levels of safety protection and many convenient features, such as LED displays and worldwide use plugs.

BC-1007

Charges:

1-4 x AA

Ni-MH

1-4 x AAA



AC Adapter



SPECIFICATIONS

Input: 100-240V ~ 50/60Hz

Output: AA 1000 mA (1-2 pcs); 500 mA (3-4 pcs)

AAA 600 mA (1-2 pcs); 300 mA (3-4 pcs)

MAIN FEATURES

- Charges 1-4 AA/AAA Ni-MH /Ni-Cd Batteries
- 6 Levels Charge Protection
 - -ΔV Cut Off
 - Over Temperature Protection
 - Timer Control Protection 3.5 hours (1-2 cells) or 7 hours (3-4 cells)
 - Reverse Polarity Protection
 - Over-current and Short Circuit Protection
 - Defective and Non-rechargeable Battery Detection

- Low Battery Current Leakage
- Worldwide Use AC 100-240V~50/60Hz
- LED Indicators

Red	Charging
Red LED Flashing	Defective / Non-rechargeable Battery/ Short circuit
Green	Fully charged/Trickle

CHARGING TIMES

Type of Battery	Charging Times (Appr.)	
	1-2 Cells	3-4 Cells
Ni-MH AA 2700 mAh	3 h	6 h
Ni-MH AA 2000 mAh	2.5 h	4.5 h
Ni-MH AA 1500 mAh	2 h	3.5 h
Ni-MH AAA 800 mAh	100 min	3 h

AVAILABLE COLORS

White

BARCODE



PACKAGING



Blister	
Plug:	TUV
Weight(g)	206.5
Dimensions (W) x (H) x (D) (mm)	125 x 205 x 87
Inner Carton	
Packs / Inner ctn	16
Net Weight(kg)	2.3
Gross Weight(kg)	3.8
Dimensions (L)x (W) x (H) (cm)	46 x 25.5 x 27
Outer Carton	
Packs / Carton	32
Net Weight(kg)	6.45
Gross Weight(kg)	8
Dimensions (L)x (W) x (H) (cm)	53 x 47.5 x 29
Volume(M ³)	0.0730

> Super Fast Chargers

Camelion®

BC-0903

Charges:

2 or 4 x AA

Ni-MH

2 or 4 x AAA



AC Adapter



USB



Car Adapter



SPECIFICATIONS

AC To DC Adapter

Input: 100-240V ~ 50/60Hz

Output : 12V ---

Car plug

Output : 12V ---

USB

Output : 5V ---

Charging Currents

12V DC Input

2 x (2.8V --- 900 mA) AA Size

2 x (2.8V --- 500 mA) AAA Size

5V DC Input

2 x (2.8V --- 500 mA) AA Size

2 x (2.8V --- 300 mA) AAA Size

MAIN FEATURES

- 2 Independent Charging Channels
- 6 Levels Charge Protection
 - -ΔV Cut-Off
 - Timer Control Protection
 - Over Temperature Protection
 - Reverse Polarity Protection
 - Over Current and Short Circuit Protection
 - Defective and Non-rechargeable Battery Detection

- Low Battery Leakage Current
- Trickle Charge
- Car Plug Adapter and USB Port
- LED Indicators

Red	Charging
Flashing	Defective / Non-rechargeable battery/ Short circuit
Green	Fully charged/trickle

CHARGING TIMES

Type of Battery	Charging Times (Appr.)	
	Input 12V	Input 5V
Ni-MH AA 2700 mAh	3.0 h	6.0 h
Ni-MH AA 2000 mAh	2.7 h	4.8 h
Ni-MH AA 1500 mAh	2.0 h	3.6 h
Ni-MH AAA 800 mAh	1.9 h	3.2 h

AVAILABLE COLORS

Silver

BARCODE



PACKAGING



Blister	
Plug:	TUV
Weight(g)	230
Dimensions (W) x (H) x (D) (mm)	125 x 205 x 67
Inner Carton	
Packs / Inner ctn	8
Net Weight(kg)	1.85
Gross Weight(kg)	2.4
Dimensions (L)x (W) x (H) (cm)	49 x 22.5 x 19
Outer Carton	
Packs / Carton	16
Net Weight(kg)	3.7
Gross Weight(kg)	5.3
Dimensions (L)x (W) x (H) (cm)	51 x 47 x 20.5
Volume(M ³)	0.0491

> Fast Chargers

Charge most batteries in 4 to 8 hours. Packed with features, they are handy around the home, at the office and even when traveling.

BC-1002A

Charges:

2 or 4 x AA
2 or 4 x AAA

NI-MH



AC Adapter



SPECIFICATIONS

Input: 100-240V ~ 50/60Hz
Output: 2 x (2.8V \approx 300mA) AA Size
2 x (2.8V \approx 150mA) AAA Size

MAIN FEATURES

- 2 Independent Charging Channels
- Timer Control (8 hours)
- Over Temperature Protection
- Worldwide Use

- Reverse Polarity Protection
- LED Indicators

ON	Charging
OFF	Fully charged

CHARGING TIMES

Type of Battery	Charging Times (Appr.)
Ni-MH AA 2500 mAh	8 h
Ni-MH AA 2000 mAh	8 h
Ni-MH AA 1500 mAh	6 h
Ni-MH AAA 800 mAh	8 h

AVAILABLE COLORS

silver

BARCODE



PACKAGING



Blister	
Plug:	TUV
Weight(g)	118
Dimensions (W) x (H) x (D) (mm)	125 x 205 x 85
Inner Carton	
Packs / Inner ctn	16
Net Weight(kg)	1.89
Gross Weight(kg)	3.42
Dimensions (L)x (W) x (H) (cm)	46 x 24.5 x 27
Outer Carton	
Packs / Carton	32
Net Weight(kg)	3.8
Gross Weight(kg)	7.53
Dimensions (L)x (W) x (H) (cm)	51 x 47.5 x 29
Volume(M ³)	0.0703

> Fast Chargers

BC-1012

Charges:

1-4 x AA
1-4 x AAA

NI-MH



SPECIFICATIONS

Input: 100-240V ~ 50/60Hz
Output: 1.4V \approx
AA : 400 mA (1~2 Pcs) ; 260 mA (3 Pcs) ; 200 mA (4 Pcs)
AAA : 200 mA (1~2 Pcs) ; 130 mA (3 Pcs) ; 100 mA (4 Pcs)

MAIN FEATURES

- **Charges up to 4 AA/AAA Ni-MH/Ni-Cd Batteries**
- **Multi-band LCD Monitor** for easy to read status of the charger
- **4 Independent Charging Channels** Four charging slots support any AA/AAA battery combination.
- **Reverse Polarity Protection** A special shell structure prevents incorrect battery insertion, helping avoid damage to the battery and charger.
- **Pulse Charging Technology** Uses a precisely regulated current to maximize the charging efficiency, control battery temperature and increase battery life.
- **Micro Control Unit (MCU)** The MCU enables intelligent charging by automatically identifying non-rechargeable batteries, offering multiple levels of protection including negative delta V(- Δ V), voltage protection, safety charging cut-offs.
- **Over Current Protection** Charger maintains a constant charging current during the charging cycle.
- **Short Circuit Protection** The MCU detects attempts to charge shorted batteries or directly short the output channels, in which case the LCD indicator flashes.
- **Timer Control** The charger automatically detects the correct charging time, cuts off the charger automatically (1-2 batteries 6 hours), (3 batteries 9 hours), (4 batteries 12 hours).

AVAILABLE COLORS

white

MAIN FEATURES

Type of Battery	Charging Times (Appr.)		
	1-2 Akku	3 Akkus	4 Akkus
Ni-MH AA 2500 mAh	6 h	9 h	12 h
Ni-MH AA 2000 mAh	6 h	9 h	12 h
Ni-MH AAA 1000 mAh	6 h	9 h	12 h
Ni-MH AAA 800 mAh	5 h	8.5 h	11 h

BARCODE



PACKAGING



Blister	
Plug:	TUV
Weight(g)	118.2
Dimensions (W) x (H) x (D) (mm)	125 x 205x 75
Inner Carton	
Packs / Inner ctn	8
Net Weight(kg)	0.95
Gross Weight(kg)	1.3
Dimensions (L)x (W) x (H) (cm)	49.5 x 23.5 x 14
Outer Carton	
Packs / Carton	32
Net Weight(kg)	3.78
Gross Weight(kg)	5.5
Dimensions (L)x (W) x (H) (cm)	50.5 x 48.5 x 30
Volume(M ³)	0.0735

> Overnight Chargers

These Standard battery chargers are ideal for travel, conventional household or office use. Some are also powered by USB ports.

BC-1001A

Charges:

1-2 x AA

1-2 x AAA

1 x 9V

Ni-MH



SPECIFICATIONS

Input: 100-240V ~ 50/60Hz
Output: 2 x (1.4V = 200 mA) AA/AAA Size
1 x (9V = 25 mA) 9V Size

MAIN FEATURES

- 3 Independent Charging Channels
- 12 Hours Timer Control
- Reverse Polarity Protection
- Slim and Portable
- Built-in Switching Adaptor for Worldwide Use
- LED Indicators

Red	Charging
Off	Fully charged

CHARGING TIMES

Type of Battery	Charging Times (Appr.)
Ni-MH AA 2700 mAh	12 h
Ni-MH AA 2000 mAh	12 h
Ni-MH AA 1500 mAh	10.5 h
Ni-MH AAA 800 mAh	5 h
Ni-MH 9V 200 mAh	9.5 h

AVAILABLE COLORS

Titanium

BARCODE



PACKAGING



Blister	
Plug:	TUV
Weight(g)	62
Dimensions (W) x (H) x (D) (mm)	87 x 172 x 50
Inner Carton	
Packs / Inner ctn	32
Net Weight(kg)	1.98
Gross Weight(kg)	2.42
Dimensions (L)x (W) x (H) (cm)	39.5 x 37.5 x 18
Outer Carton	
Packs / Carton	64
Net Weight(kg)	4.0
Gross Weight(kg)	7.5
Dimensions (L)x (W) x (H) (cm)	41 x 39 x 39
Volume(M³)	0.0624

> Overnight Chargers

BC-1021C

Charges:

1-2 x AA

1-2 x AAA

Ni-MH



SPECIFICATIONS

Input: 100-240V ~ 50/60Hz 5W
Output: 2 x (1.4V = 200 mA) AA Size
2 x (1.4V = 100 mA) AAA Size

MAIN FEATURES

- Charges 1 or 2 Ni-MH/Ni-Cd AA/AAA batteries
- Reverse Polarity Protection Specially designed slots prevent incorrect polarity insertion of the batteries.
- Timer Control Protection (12 Hrs) The charger automatically detects the correct charging time and after 12 hrs the main charging current switches to a trickle current.
- Low Charge Current for Longer Battery Life
- Low Battery Leakage Current If the battery charger is not connected to input power and batteries are left in the charger, battery discharge will be controlled using the lowest possible, pre-determined current.
- 2 LED Indicators

Red	Charging
Green	Fully charged/Trickle

CHARGING TIMES

Type of Battery	Charging Times (Appr.)
Ni-MH AA 2000 mAh	12.0 h
Ni-MH AA 1500 mAh	10.5 h
Ni-MH AAA 800 mAh	11 h

AVAILABLE COLORS

white

BARCODE



PACKAGING



Blister	
Plug:	TUV
Weight(g)	105
Dimensions (W) x (H) x (D) (mm)	100 x 180 x 46
Inner Carton	
Packs / Inner ctn	32
Net Weight(kg)	3.36
Gross Weight(kg)	3.7
Dimensions (L)x (W) x (H) (cm)	41.8 x 27 x 22.5
Outer Carton	
Packs / Carton	64
Net Weight(kg)	6.7
Gross Weight(kg)	8.3
Dimensions (L)x (W) x (H) (cm)	43 x 28.2 x 49.8
Volume(M³)	0.0604

BC-0901

Charges:

1-2 x AA

1-2 x AAA

Ni-MH



SPECIFICATIONS

Input: 230V ~ 50Hz
Output: 2 x (1.4V = 100mA) AA/AAA size

MAIN FEATURES

- 2 Independent Channels
- Reverse Polarity Protection
- LED Indicators

Red Charging or charge complete

CHARGING TIMES

Type of Battery	Charging Times (Appr.)
Ni-MH AA 2000 mAh	27h
Ni-MH AA 1800 mAh	25 h
Ni-MH AA 1500 mAh	21h
Ni-MH AAA 600 mAh	11 h

AVAILABLE COLORS

Silver white

BARCODE



PACKAGING



Blister	
Plug:	TUV
Weight(g)	155
Dimensions (W) x (H) x (D) (mm)	125 x 205 x 80
Inner Carton	
Packs / Inner ctn	16
Net Weight(kg)	2.48
Gross Weight(kg)	2.73
Dimensions (L)x (W) x (H) (cm)	39.5 x 23.5 x 12.5
Outer Carton	
Packs / Carton	32
Net Weight(kg)	4.96
Gross Weight(kg)	7.2
Dimensions (L)x (W) x (H) (cm)	48.5 x 41 x 27
Volume(M³)	0.0537

BC-0902

Charges:

2 or 4 x AA

2 or 4 x AAA

Ni-MH



SPECIFICATIONS

Input: 230V ~ 50Hz
Output: 2 x (2.8V = 200mA) AA
2 x (2.8V = 120mA) AAA

MAIN FEATURES

- 2 Independent Channels
- Reverse Polarity Protection
- LED Indicators

Red Charging or charge complete

CHARGING TIMES

Type of Battery	Charging Times (Appr.)
Ni-MH AA 2700 mAh	17 h
Ni-MH AA 2000 mAh	14 h
Ni-MH AA 1500 mAh	10.5 h
Ni-MH AAA 600 mAh	7 h

AVAILABLE COLORS

Silver

BARCODE



PACKAGING



Blister	
Plug:	TUV
Weight(g)	274
Dimensions (W) x (H) x (D) (mm)	210 x 130 x 82
Inner Carton	
Packs / Inner ctn	8
Net Weight(kg)	3.13
Gross Weight(kg)	3.38
Dimensions (L)x (W) x (H) (cm)	50.0 x 26 x 14.5
Outer Carton	
Packs / Carton	16
Net Weight(kg)	6.26
Gross Weight(kg)	7.36
Dimensions (L)x (W) x (H) (cm)	51.5 x 27.5 x 31.5
Volume(M³)	0.0446

BC-0904S

Charges:

2 or 4 x AA

2 or 4 x AAA

1-2 x 9V

Ni-MH



SPECIFICATIONS

Input: 230V ~ 50Hz
 Output: 2 x (2.8V \approx 160 mA) AA size
 2 x (2.8V \approx 80 mA) AAA size
 2 x (9V \approx 25 mA) 9V size

MAIN FEATURES

- 2 independent Charging Channels
- Reverse Polarity Protection
- Low Charge Current for Longer Battery Life
- LED Indicators

Red Charging or charge complete

CHARGING TIMES

Type of Battery	Charging Times (Appr.)
Ni-MH AA 2000 mAh	17 h
Ni-MH AA 1500 mAh	13 h
Ni-MH AAA 800 mAh	14 h
Ni-MH 9V 200 mAh	9.5 h

AVAILABLE COLORS

titanium

BARCODE



PACKAGING



Blister	
Plug:	TUV
Weight(g)	274
Dimensions (W) x (H) x (D) (mm)	210 x 130 x 84
Inner Carton	
Packs / Inner ctn	4
Net Weight(kg)	1.1
Gross Weight(kg)	1.3
Dimensions (L)x (W) x (H) (cm)	49.5 x 9 x 21.5
Outer Carton	
Packs / Carton	16
Net Weight(kg)	4.4
Gross Weight(kg)	7.5
Dimensions (L)x (W) x (H) (cm)	51 x 39 x 23.5
Volume(M³)	0.0467

BC-0908

Charges:

1-4 x AA

1-4 x AAA

Ni-MH



SPECIFICATIONS

Input: 230V ~ 50Hz
 Output: 4 x (1.4V \approx 120 mA) AA Size
 4 x (1.4V \approx 70 mA) AAA Size

MAIN FEATURES

- 4 Independent Channels
- Reverse Polarity Protection
- LED Indicators

Red Charging or charge complete

CHARGING TIMES

Type of Battery	Charging Times (Appr.)
Ni-MH AA 2700 mAh	29 h
Ni-MH AA 2000 mAh	22 h
Ni-MH AA 1500 mAh	18 h
Ni-MH AAA 800 mAh	16 h

AVAILABLE COLORS

Silver White

BARCODE



PACKAGING



Blister	
Plug:	TUV
Weight(g)	208
Dimensions (W) x (H) x (D) (mm)	200 x 125 x 52
Inner Carton	
Packs / Inner ctn	16
Net Weight(kg)	3.64
Gross Weight(kg)	3.7
Dimensions (L)x (W) x (H) (cm)	42.5 x 22.5 x 26
Outer Carton	
Packs / Carton	32
Net Weight(kg)	6.82
Gross Weight(kg)	8.08
Dimensions (L)x (W) x (H) (cm)	46.5 x 44 x 28
Volume(M³)	0.0594

> Universal Chargers

These can recharge many types of batteries and are perfect for high battery usage households. They are reliable and safe and can even test your batteries to see if its time for a recharge.

CM9398GS

Charges:

1- 4 AA / AAA / D / C or 1-2 9V
Ni-MH Batteries



SPECIFICATIONS

Input: 230V ~ 50Hz
Output: 4 x (1.4V \approx 250mA) D/C/AA/AAA Size
2 x (9V \approx 13mA) 9V Size

MAIN FEATURES

- 4-channel for AAA, AA, C, D, and 2-channel for 9V batteries.
- The build-in battery change in tester.
- The timer can be selected, based on different capacity.
- Trickle charge function.
- Overcharge Protection Function.

CHARGING TIMES

Type of Battery	Charging Times (Appr.)
Ni-MH D 2500 mAh	24 h
Ni-MH C 3500 mAh	24 h
Ni-MH AA 2500 mAh	24 h
Ni-MH AAA 900 mAh	6 h
Ni-MH 9V 200 mAh	20 h

AVAILABLE COLORS

 Black

BARCODE



PACKAGING



Blister	
Weight(g)	680
Dimensions (W) x (H) x (D) (mm)	330 x 175 x 60
Inner Carton	
Packs / Inner ctn	10
Gross Weight(kg)	7.32
Dimensions (L)x (W) x (H) (cm)	59 x 23.5 x 19.5
Outer Carton	
Packs / Carton	20
Net Weight(kg)	13.7
Gross Weight(kg)	16.0
Dimensions (L)x (W) x (H) (cm)	62 x 36 x 46
Volume(M ³)	0.10

> Universal Chargers

CM9388

Charges:

1- 4 AA / AAA / D / C or 1-2 9V
Ni-MH Batteries



SPECIFICATIONS

AC To DC Adapter

Input Voltage: AC 100 ~ 240V 50/60 Hz
Output Voltage: 12V DC 1A

Charger

Charging Currents
Input: DC 12V
Output:
4 x (1.4V \approx 300mA) D/C/AA/AAA Size
2 x (9V \approx 13mA) 9V Size

MAIN FEATURES

- 2 Independent Charging Channels
- To Charge AAA/AA/C/D/9V Ni-MH/Ni-Cd Rechargeable Battery
- V Detection Control
- Discharge Function
- Trickle Charge Function

CHARGING TIMES

Type of Battery	Charging Times (Appr.)
Ni-MH D 2500 mAh	12 h
Ni-MH C 2500 mAh	12 h
Ni-MH AA 2500 mAh	12 h
Ni-MH AAA 900 mAh	3.5 h
Ni-MH 9V 200 mAh	22 h

AVAILABLE COLORS

 Black

BARCODE



PACKAGING



Box	
Weight(g)	680
Dimensions (W) x (H) x (D) (mm)	275 x 155 x 88
Outer Carton	
Packs / Carton	20
Net Weight(kg)	24
Gross Weight(kg)	25.8
Dimensions (L)x (W) x (H) (cm)	56 x 47 x 35
Volume(M ³)	0.0954

CM3298

Charges:
 1 - 4 C / D + 1 - 2 9V
 1 - 6 AA / AAA + 1 - 2 9V
 Ni-MH Batteries



SPECIFICATIONS

Input: AC 100 ~ 240V 50Hz/60Hz 30W
 Charging Current: 4 x C, D / DC 1.2V approx. 1.000mA
 6 x AAA / DC 1.2V approx. 500mA
 6 x AA / DC 1.2V approx. 1.000mA
 2 x DC 9V approx. 70mA
 USB 5V: approx. 500mA max.

MAIN FEATURES

- **8 Independent Charging Channels**
- **LCD Display** Shows the charging status of each individual Battery
- **6 Level Charge Protection**
 - Δ V Cut-Off
 - Timer Control Protection (10 hours)
 - Over Temperature Protection
 - Reverse Polarity Protection
 - Over Current and Short Circuit Protection
 - Defective and Non-rechargeable battery Detection
- **USB Port** Enables you to charge external devices such as MP3 players or mobile phones
- **Trickle Charge**
- **Discharge Function** 9V battery can not be discharged
- **Battery Refresh Function**
- **World Voltage Switch Adapter**
- **LED Indicators**

Display	LED	Explanation
		The LED continuously glows green: Full charged
		The LED blinks alternately red and green: The batteries are being discharged for max. 10 minutes. (Refresh Function)
		The LED continuously glows red: Charging: The batteries are being charged
		Loading error: The LED blinks red: The inserted batteries are not positioned correctly in the charging slot or are defective.
		Check / Precharge: The LED blinks green: precharge / Check the batteries

CHARGING TIMES

Type of Battery	Charging Times (Appr.)
Ni-MH AA 2500 mAh	3.5 h
Ni-MH AAA 900 mAh	2.5 h
Ni-MH C 4000 mAh	5.5 h
Ni-MH D 4500 mAh	6.2 h
Ni-MH 9V 200 mAh	4.0 h

AVAILABLE COLORS

Silver

BARCODE



PACKAGING



Box	
Plug:	TUV
Weight(g)	660
Dimensions (W) x (H) x (D) (mm)	241.5 x 60 x 215
Outer Carton	
Packs / Carton	10
Net Weight(kg)	6.6
Gross Weight(kg)	7.3
Dimensions (L)x (W) x (H) (cm)	32 x 44.5 x 24
Volume(M ³)	0.0341

LBC-312

Charges:
 Most 1.2V 3.7V or 7.4V Batteries*



Li-ion

Ni-MH



Includes:



AC Cord



SPECIFICATIONS

Charger
 Input: 100-240V ~ 50/60Hz 12W Max
Charging current:
 Lithium batteries: 3.6/3.7V 0.8A (Max)
 7.2/7.4V 0.6A (Max)
 Ni-MH/Ni-Cd: 2 x 1.4V = 0.7A (Max)
 USB output: 5V = 0.5A

MAIN FEATURES

- **Supports Many Devices** Compatible with almost all 3.7V and 7.4V Li-ion, 1.2V Ni-MH and Ni-Cd batteries for such devices as digital cameras, Camcorders, mobile phones, MP3 /MP4 players, game players and more.
- **Automatic Voltage/Polarity Selection** Microprocessor core identifies battery type and +/- polarity, making it easy for you to use.
- **Safe** Faulty battery detection; 5 hours safety timer for Ni-MH/Cd and 10 hours safety timer for Li-ion.
- **Convenient Design**
- **Portable** Lightweight design and worldwide voltage input and adapter plugs for easy traveling.
- **USB output port** for iPhone, iPod, Android Smartphone, MP3, MP4 GPS devices and more.

LED Indicator

CONDITIONS	CHARGING (green)	POWER (red)
No power or faulty power supply	Off	Off
Power on	Off	On
Battery charging	Flashing	On
Fully charged	On	On
Faulty battery or charging process stopped by 5/10h safety timer	Flashing	Flashing

CHARGING TIMES

Battery Capacity	Charging Times
Ni-MH AA 2700 mAh	4.5 h
Ni-MH AA 2000 mAh	4.0 h
Ni-MH AA 1500 mAh	2.5 h
Ni-MH AAA 800 mAh	90 min

AVAILABLE COLORS

Black

BARCODE



PACKAGING



Blister	
Plug:	TUV
Weight(g)	179
Dimensions (W) x (H) x (D) (mm)	185 x 128 x 70
Inner Carton	
Packs / Inner ctn	10
Net Weight(kg)	1.79
Gross Weight(kg)	2.14
Dimensions (L)x (W) x (H) (cm)	56.5 x 20.6 x 13.5
Outer Carton	
Packs / Carton	40
Net Weight(kg)	7.16
Gross Weight(kg)	10.6
Dimensions (L)x (W) x (H) (cm)	58 x 42.7 x 29
Volume(M ³)	0.0719

Battery Charging Table

Directions:

The following table lists out charging times for specific Camelion chargers and batteries.

For example, to find the charging time for the BC-0907 charger using a Nickel Metal Hydride AA2500mah battery, first locate the BC-0907 column. Then locate the AA2500mah row. Finally, the point of intersection indicates the value, which is 80min.

Camelion Model	SBC3001		BC-0907	BC-1007		BC-0903		BC-1002A	BC-1012			BC-1001A
	2 cells	4 cells	DC in 12V, 1.5A	1-2 cells	3-4 cells	DC in 12V,1A	DC in 5V,1A		1-2 cells	3 cells	4 cells	
Timer Control	NA	NA	1.5h	NA	NA	3.0h	6.0h	8h	6.0h	9.0h	12h	Voltage Cut Off
Ni-MH Batteries												
NH-D2500	NA	NA	NA	3h	NA	NA	NA	NA	NA	NA	NA	NA
NH-C2500	NA	NA	NA	3h	NA	NA	NA	NA	NA	NA	NA	NA
NH-AA2700	17h	34h	80min	3h	6h	T/C 3.0h	T/C 5.9h	T/C 8h	T/C 6h	T/C 9h	T/C 12h	T/C 12h
NH-AA2600	16h	32h	80min	3h	5.5h	T/C 3.0h	T/C 5.6h	T/C 8h	T/C 6h	T/C 9h	T/C 12h	T/C 12h
NH-AA2500	16h	32h	80min	2.5h	5.5h	T/C 3.0h	5.5h	T/C 8h	T/C 6h	T/C 9h	T/C 12h	T/C 12h
NH-AA2300	15h	31h	70min	2.5h	5.5h	3.0h	5.5h	T/C 8h	T/C 6h	T/C 9h	T/C 12h	T/C 12h
NH-AA2200	15h	29h	70min	2h	5h	2.9h	5.3h	T/C 8h	T/C 6h	T/C 9h	T/C 12h	T/C 12h
NH-AA2000	14h	27h	60min	2h	4.5h	2.7h	4.8h	T/C 8h	T/C 6h	T/C 9h	T/C 12h	T/C 12h
NH-AA1800	13h	26h	60min	2h	4.5h	2.4h	4.3h	T/C 8h	6h	T/C 9h	T/C 12h	T/C 12h
NH-AA1500	10h	21h	50min	2h	3.5h	2.0h	3.6h	6h	4.5h	7h	10.5h	10.5h
NH-AAA1100	6h	12h	90min	100min	4h	2.3h	3.8h	T/C 8h	T/C 6h	T/C 9h	T/C 12h	6h
NH-AAA1000	5.5h	11h	80min	100min	3.5h	2.0h	3.4h	T/C 8h	T/C 6h	T/C 9h	T/C 12h	5.5h
NH-AAA900	5h	10h	80min	70min	3.5h	1.9h	3.2h	T/C 8h	5h	T/C 9h	12h	5h
NH-AAA800	5h	10h	70min	NA	3h	1.9h	3.2h	T/C 8h	5h	8.5h	11h	5h
NH-AAA600	3.5h	7h	60min	NA	2.5h	1.4h	2.4h	5h	3.5h	5.5h	7h	3.5h
NH-9V250	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	11h
NH-9V200	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	9.5h

Camelion Model	BC-1021C	BC-0901	BC-0902	BC-0904S	BC-0908	CM-9398GS	CM9388	CM3298	LBC-312
Timer Control	12h	NA	NA	NA	NA	3/6/9/24h	NA	10h	5h
Ni-MH Batteries									
NH-D2500	NA	NA	NA	NA	NA	14h	12h	3h	NA
NH-C2500	NA	NA	NA	NA	NA	14h	12h	3h	NA
NH-AA2700	T/C 12h	34h	17h	22h	29h	14h	12h	3h	4.5h
NH-AA2600	T/C 12h	32h	16h	20h	27h	13h	12h	3h	4h
NH-AA2500	T/C 12h	32h	16h	20h	27h	13h	12h	3h	4h
NH-AA2300	T/C 12h	31h	16h	19h	26h	12h	10h	2.5h	4h
NH-AA2200	T/C 12h	30h	15h	19h	25h	12h	10h	2.5h	3.5h
NH-AA2000	T/C 12h	27h	14h	17h	22h	10.5h	9.5h	2.5h	3.5h
NH-AA1800	T/C 12h	25h	13h	16h	21h	10h	8.5h	2h	3h
NH-AA1500	10.5h	21h	10.5h	13h	18h	8.5h	7h	2h	2.5h
NH-AAA1100	T/C 12h	14h	11h	17h	19h	4.5h	4h	2.5h	100min
NH-AAA1000	T/C 12h	13h	10.5h	16h	18h	4.5h	3.5h	2h	100min
NH-AAA900	12h	12h	10h	15h	17h	3.5h	3.5h	2h	90min
NH-AAA800	11h	11h	9.5h	14h	16h	3.5h	3h	2h	90min
NH-AAA600	8.5h	8.5h	7h	10.5h	12h	3h	2.5h	1.5h	1h
NH-9V250	NA	NA	NA	11h	NA	11h	27h	4.5h	NA
NH-9V200	NA	NA	NA	9.5h	NA	9.5h	22h	3.5h	NA

Notes:

NA - Not Applicable.

T/C: Charger has timer control. This is the cut off time, whether the battery is fully charged or not..



All the data is based on Camelion latest lab tests. Charging times may vary based upon temperature, product age, voltage and other conditions.

This data sheet is for customer reference purposes only and to help customers choose the appropriate product. Contents do not constitute a warranty.

For information on specific Camelion products please visit our website at www.camelionbattery.com or contact us directly at info@camelionbattery.com.

DD801

Charge **2 USB** devices at the same time!



Main Features

- **Car Charger with Dual USB Port** Up to 5V, 2100mA direct power sources for iPad, iPod units, iPhone, mobile phones, PSP, Blackberry, Digital cameras and other music players and devices. Just plug it in to your car cigarette or plug into electric socket, power up and start to play.
- **Short Circuit Protection** Damage to the charger and mobile device is prevented in case of a short circuit.

Specifications

Input: 12 - 24V $\overline{\text{---}}$
Output: 5V $\overline{\text{---}}$ 2.1A using 1USB port
 5V $\overline{\text{---}}$ 1A using 2USB ports

Directions



Available Colors


Black

Packaging

Blister	Plug:	/
	Weight(g)	66
Dimensions (W) x (H) x (D)(mm)		133x220x69
Inner Carton	Packs / Inner ctn	18
	Net Weight(kg)	/
	Gross Weight(kg)	/
	Dimensions (L)x (W) x (H) (cm)	41.5x30x23.5
Outer Carton	Packs / Carton	36
	Net Weight(kg)	2.4
	Gross Weight(kg)	3.9
	Dimensions (L)x (W) x (H) (cm)	48.5x31.5x43.5
	Volume(cbm)	0.0665

Power Supplies

DD811



Main Features

- **2.1A output USB port** for fastest possible charge
- **Charge your smartphone & tablets anytime in your Car**
- **Charging directly with cigarette lighter plug-in**
- **Compatible with most vehicle power ports**
- **Short circuit & overheating protections**
- **Compact and portable**

Specifications

Input: 12 - 24V $\overline{\text{---}}$ 1.4A (max)
Power Output: 5V $\overline{\text{---}}$ 2.1A

Directions




Available Colors

Black

Packaging

Blister	Plug:	/
	Weight(g)	52
Dimensions (W) x (H) x (D)(mm)		107 x 171 x 55
Inner Carton	Packs / Inner ctn	24
	Net Weight(kg)	0.93
	Gross Weight(kg)	1.3
	Dimensions (L)x (W) x (H) (cm)	35.5 x 31.5 x 18.0
Outer Carton	Packs / Carton	48
	Net Weight(kg)	1.9
	Gross Weight(kg)	2.9
	Dimensions (L)x (W) x (H) (cm)	36.5 x 32.5 x 38.0
	Volume(cbm)	0.0388

AD569



AD569-DB
4 260216 454769

Main Features

- 3.4A output USB port for fastest possible charge
- Dual USB port enable to charge two devices at the same time
- Direct power source for tablets and mobile devices
- Use any cable with charger
- Over current, overheating and short circuit protections
- Universal voltage

Specifications

Input: 100-240V~50/60Hz 21W max
Output: 5V 3.4A (2.4A+1A)

Directions



Available Colors

White

Packaging

Blister	Plug:	TUV	UL
	Weight(g)	82	76
Dimensions (W) x (H) x (D)(mm)		107 x 171 x 70	107 x 171 x 67
Inner Carton	Packs / Inner ctn	24	24
	Net Weight(kg)	1.3	1.15
	Gross Weight(kg)	2.15	2.0
	Dimensions (L)x (W) x (H) (cm)	58.5 x 44 x 11.7	58.5 x 42.5 x 11.7
Outer Carton	Packs / Carton	48	48
	Net Weight(kg)	2.6	2.3
	Gross Weight(kg)	4.7	4.4
	Dimensions (L)x (W) x (H) (cm)	60 x 45.5 x 25.5	60 x 45.5 x 25.5
	Volume(cbm)	0.0697	0.0697

PS637



Pouch optional



PS637-DB
4 260216 455476

Accessory:
USB Cable
(L:30cm)



LED Status (● ON ○ OFF)	Capacity
● ● ● ●	80%-100%
○ ● ● ●	40%-80%
○ ○ ● ●	20%-40%
○ ○ ○ ●	<20%


Main Features

- Compatible with most mobile devices
 - Auto On/Off Capability
 - Multiple safety protections
 - Pre-charged & Ready to use
 - LED power indicator
- Short circuit protection
Over charge protection
Over discharge protection
Over current protection

Specifications

Battery Capacity: 2600mAh Li-polymer battery
Power Input: Micro USB 5V 1A
Power Output: 5V 1A

Directions




Available Colors

Silver Gold

Packaging

Blister	Plug:	/
	Weight(g)	116
Dimensions (W) x (H) x (D)(mm)		135 x 230 x 33
Inner Carton	Packs / Inner ctn	/
	Net Weight(kg)	/
	Gross Weight(kg)	/
	Dimensions (L)x (W) x (H) (cm)	/
Outer Carton	Packs / Carton	48
	Net Weight(kg)	6.7
	Gross Weight(kg)	7.2
	Dimensions (L)x (W) x (H) (cm)	57 x 43 x 25.5
	Volume(cbm)	0.0625

AD3127



AD3127-DB
4 260216 453519

Main Features

- Handy Power Source 5V, 1A direct power source for iPad, iPod, iPhone, mobile phones, PSP, Blackberry, MP3/4, DV, PDA and other devices. Just plug it into your wall socket, power up and start to play.
- Compact Design
- Short Circuit Protection
- Overcurrent and Overheating Protection
- Global Use Options Different plug types are available depending on country requirements.

Specifications

Input: 100-240V~50/60Hz
Output: 5V 1A

Directions



Available Colors

White

Packaging

Blister	Plug:	TUV/UL
	Weight(g)	52
Dimensions (W) x (H) x (D)(mm)		102 x 167 x 61
Inner Carton	Packs / Inner ctn	24
	Net Weight(kg)	1.45
	Gross Weight(kg)	1.8
	Dimensions (L)x (W) x (H) (cm)	43 x 35 x 12
Outer Carton	Packs / Carton	48
	Net Weight(kg)	2.9
	Gross Weight(kg)	3.9
	Dimensions (L)x (W) x (H) (cm)	44.5 x 37.5 x 27.5
	Volume(cbm)	0.0459

PS638



Pouch optional



PS638-DB
4 260216 455483

Accessory:
USB Cable
(L:30cm)



LED Status (● ON ○ OFF)	Capacity
● ● ● ●	80%-100%
○ ● ● ●	40%-80%
○ ○ ● ●	20%-40%
○ ○ ○ ●	<20%


Main Features

- Compatible with most mobile devices
 - Auto On/Off Capability
 - Multiple safety protections
 - Pre-charged & Ready to use
 - LED power indicator
- Over charge protection
Over discharge protection
Over current protection
Short circuit protection

Specifications

Battery Capacity: 4000mAh Li-polymer battery
Power Input: Micro USB 5V 1A
Power Output: 5V 1A

Directions




Available Colors

Silver Gold

Packaging

Blister	Plug:	/
	Weight(g)	155
Dimensions (W) x (H) x (D)(mm)		135 x 230 x 33
Inner Carton	Packs / Inner ctn	/
	Net Weight(kg)	/
	Gross Weight(kg)	/
	Dimensions (L)x (W) x (H) (cm)	/
Outer Carton	Packs / Carton	48
	Net Weight(kg)	7.5
	Gross Weight(kg)	8
	Dimensions (L)x (W) x (H) (cm)	57 x 43 x 25.5
	Volume(cbm)	0.0625

PS625F



PS625F-DB
4 260216 454066



Accessory:



USB Cable (L:30cm)


Main Features

- Multiple intelligent safety protections
- Built-in LED flashlight
- Works with your existing cables
- Compatible with most mobile devices
- Easy to read power indicator
- Convenient carrying size
- Powered by Samsung battery cell

Specifications

Battery Capacity: 2600mAh/2800mAh Lithium-ion Battery
Power Input: Micro USB 5V $\bar{\square}$ 1A
Power Output: 5V $\bar{\square}$ 1A

Directions



Available Colors

Red silver

Packaging

Blister	Plug:	/
	Weight(g)	116
	Dimensions (W) x (H) x (D)(mm)	80 x 31 x 183
Inner Carton	Packs / Inner ctn	12
	Net Weight(kg)	1.39
	Gross Weight(kg)	1.8
	Dimensions (L)x (W) x (H) (cm)	38 x 19.3 x 8.8
Outer Carton	Packs / Carton	48
	Net Weight(kg)	5.57
	Gross Weight(kg)	6.27
	Dimensions (L)x (W) x (H) (cm)	39.5 x 36.5 x 21.5
	Volume(cbm)	0.0309

PS627



PS627-DB
4 260216 453854

Accessories:
1 x USB Cable (L:50cm)
1 x Pouch



LED Status (● ON ○ OFF)	Capacity
● ● ● ●	75%-100%
○ ● ● ●	50%-75%
○ ○ ● ●	25%-50%
○ ○ ○ ●	<25%

Main Features

- Multiple intelligent safety protections
 - Over charge protection
 - Over discharge protection
 - Over current protection
 - Short circuit protection
- Works with your existing cables
- Compatible with most mobile devices
- Easy to read power indicator

Specifications

Battery Capacity: 6600mAh Lithium-ion Battery
Power Input: Micro USB 5V $\bar{\square}$ 1A (max)
Power Output: 5V $\bar{\square}$ 1A (max)

Directions




Available Colors

Gold

Packaging

Blister	Plug:	/
	Weight(g)	262
	Dimensions (W) x (H) x (D)(mm)	110 x 27 x 205
Inner Carton	Packs / Inner ctn	10
	Net Weight(kg)	2.25
	Gross Weight(kg)	2.9
	Dimensions (L)x (W) x (H) (cm)	27.2 x 21.5 x 13
Outer Carton	Packs / Carton	40
	Net Weight(kg)	10.5
	Gross Weight(kg)	11.9
	Dimensions (L)x (W) x (H) (cm)	55.5 x 29 x 23.5
	Volume(cbm)	0.0378

PS626



PS626-DB
4 260216 453847

Accessories:
1 x USB Cable (L:50cm)
1 x Pouch



LED Status (● ON ○ OFF)	Capacity
● ● ● ●	75%-100%
○ ● ● ●	50%-75%
○ ○ ● ●	25%-50%
○ ○ ○ ●	<25%

Main Features

- Multiple intelligent safety protections
 - Over charge protection
 - Over discharge protection
 - Over current protection
 - Short circuit protection
- Works with your existing cables
- Compatible with most mobile devices
- Easy to read power indicator

Specifications

Battery Capacity: 4400mAh Lithium-ion Battery
Power Input: Micro USB 5V $\bar{\square}$ 1A (max)
Power Output: 5V $\bar{\square}$ 1A (max)

Directions



Available Colors

Blue Gold

Packaging

Blister	Plug:	/
	Weight(g)	194
	Dimensions (W) x (H) x (D)(mm)	110 x 27 x 205
Inner Carton	Packs / Inner ctn	10
	Net Weight(kg)	1.95
	Gross Weight(kg)	2.25
	Dimensions (L)x (W) x (H) (cm)	27.2 x 21.5 x 13
Outer Carton	Packs / Carton	40
	Net Weight(kg)	7.8
	Gross Weight(kg)	9.2
	Dimensions (L)x (W) x (H) (cm)	55.5 x 29 x 23.5
	Volume(cbm)	0.0378

Flashlights & Lanterns

Device Chart

BEST YES NO

	Camelion Power Supplies									
	DD801	DD811	AD569	AD3127	PS637	PS638	PS625F	PS626	PS627	
USB Enable Devices										
iPhone 4/4S/5	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
iPod®	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
iPad®	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Touch®	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
PDA	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Samsung	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Sony	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
HTC	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Blackberry®	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Nokia	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
LG	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Sharp	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Motorola	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Smart Phone	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Playstations	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Tablet	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
MP3/MP4/MPS	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
CD/DVD	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Loudspeaker	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
AM/FM/Radio	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Digital Camera	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
GPS	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
USB battery charger	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Electric shaver	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Mobile & Professional										
Others										

Remark: 1. The capacity of the iPad battery must be not less than 5%.
 2. Apply for USB 2.0 or lower version only.
 3. Camelion accepts no responsibility for any accidents resulting from use of this information.

TRAVLite™ Flashlights

ideal Lighting for Out of Doors



Pocket LED Flashlight

- Ultra Shock Resistant TPE Casing Up to 3 meters drop height
- Up to 40 hrs continuous Lighting*
- "O" Ring and Sealed Switch for water resistant (IPX4**) performance
- Slim, Smart Portable Design includes lanyard, great for travel
- Uses Easily Available Economical AAA Batteries

Best for:
Traveling, hiking, camping, fishing, athletics




LED Rubber Flashlights



- Heavy Duty Rubberized Case
- Shockproof up to 2 meters drop
- Water Resistant (up to IPX7***)
- Shatterproof Optical Lens
- Non Slip Grip oil/grease resistant grip with push button switch and end strap
- Never replace LEDs 100,000 hr lifetime
- Brightness Intensifying Optical Cavity Design

*Camelion 2009 lab tests, using 3 Camelion alkaline AAA batteries; LED brightness will attenuate when battery power is weak.
**An IPX4 designation means it will hold up against rain and jets of water, but is not suitable for swimming or guaranteed to survive immersion in water.
***An IPX7 designation means the case can withstand accidental immersion in one meter of water for up to 30 minutes.


Product Picture	Name	Model #	Specifications						
			LEDs	LED Type	Lumens	Battery Mode	Body Material	Available Colors	Water Resistant
	Pocket LED Flashlights	HP7011	1	Superbright LED	40lm	3 x AAA	Plastic	Red Green	✓
	Rubber Flashlights	PT6L2D	6	Superbright LED	12lm	2 x D	Rubber	Red Blue	✓
	Rubber Flashlights	PT3L2AA	3	Superbright LED	6lm	2 x AA	Rubber	Red Blue	✓



HP7011



PT6L2D



PT3L2AA



Pack. Picture	Name	Item#	Packaging Type	Included Batteries	Packaging Details										
					Blister/Box Details				Outer Carton Details						
					Dimensions (mm)			Net Weight (g)	Packs/ Carton	Dimensions (cm)			Volume (M ³)	Gross Weight (Kg)	Net Weight (kg)
L Length	W Width	D Depth			L Length	W Width	D Depth								
	Pocket LED Flashlights	HP7011-3R03BP	Double Blister	3 x R03P	110	190	40	96.5	48	51.5	21.5	26.5	0.0294	6.4	4.7
		HP7011D24	Display Box	—	303	206	110	1496	4	46	34	25	0.0391	7.1	6.0
	Rubber Flashlights	PT6L2D-2R20PBP	Double Blister	2 x R20P	305	175	70	446	24	50.5	45	33	0.0750	11.7	10.7
	Rubber Flashlights	PT3L2AA-2R6PBP	Double Blister	2 x R6P	248	120	50	161	48	49.5	36	33	0.0588	8.7	7.7



Mini Area Lantern

- **Dual Lighting Modes** High beam / Low beam.
- **Handy** Easy to hang with the lanyard or seat on a specially designed base.
- **Comfortable** Frosted shade lighting tube and rubber boot switch.
- **Long Lifespan LED** provides outstanding illumination and free of replacement.
- **Energy Saving** Up to 80% more than a krypton light bulb.

Best for:
Camping, outdoors, children's quarters

LED Lantern


- **Effective Lighting** 360° lighting with light diffuser.
- **LED Technology** The high lumen LED provides outstanding illumination, high energy efficiency, and up to 30,000 hours lifetime.
- **Standby Yellow LED** to save energy costs.
- **Handy** Easy grip, adjustable handle with hook.
- **Durable Construction** Slim with non-topple base.
- **2 Lighting Modes** Night Light and Full Beam lighting modes for different situations.
- **Rubber boot switch**

Mini LED Lantern



- 0.5W high lumen LED lantern
- Use up to 35 hours runtime*
- 360° effective lighting
- Compact design

Product Picture	Name	Model #	Specifications						
			LEDs	LED Type	Lumens	Battery Mode	Body Material	Available Colors	Water Resistant
	Mini Area Lantern	SL7051	1	1W LED	36/18lm	4 x AAA	Plastic	Green	X
	LED Lantern	SL1011	1	1W LED	70lm	3 x D	Plastic	Green	X
	Mini LED Lantern	SL2011	1	0.5W LED	35lm	4 x AA	Plastic	Red Yellow	X

Mini Area Lantern



SL7051



SL1011



SL2011



Packaging Details

Pack. Picture	Name	Item#	Packaging Type	Included Batteries	Blister/Box Details			Outer Carton Details							
					Dimensions (mm)			Packs/ Carton	Dimensions (cm)			Gross Weight (Kg)	Net Weight (kg)		
					L Length	W Width	D Depth		L Length	W Width	D Depth			Volume (M ³)	
	Mini Area Lantern	SL7051-4R03PBP	Double Blister	4 x R03P	202	125	55	300	24	33.7	29.8	47.6	0.0480	8.7	7.2
		SL7051D12	Display Box	—	—	285	220	150	900	4	47.5	31.5	33.5	0.0502	4.5
	LED Lantern	SL1011	Box	—	125	125	205	600	12	43.4	27.2	40.5	0.0478	8.6	7.2
	Mini LED Lantern	SL2011-4R6PCB	Box	4 x R6P	112	112	138	236	24	46.8	35.5	30	0.0498	6.3	5.66
		SL2011-4R6PD6	Display Box	4 x R6P	—	240	227	238	1390	24	47.5	36	30	0.0513	6.2

SuperBright™ Flashlights

LED Flashlights for Home or Outdoor Use



Multi-head LED Classic Flashlights

- **Cloverleaf Reflector System** for maximum focus and intensity
- **Energy Saving LEDs** up to 5 times brighter, 8 times more efficient than regular krypton bulbs*
- **Long Service Life** Up to 180 hours continuous lighting*
- **Never Replace LEDs** 100,000h LED lifetime
- **Handy Grip** with hooks, anti-roll design

Best for:

- Indoor and/or outdoor use
- Handy for camping, travel, fishing
- Household use, walking the dog

*Camelion 2009 Lab Tests. Performance subject to battery, temperature and ambient lighting conditions.

Product Picture	Name	Model #	Specifications						
			LEDs	LED Type	Lumens	Battery Mode	Body Material	Available Colors	Water Resistant
	Multi-Head LED Classic Flashlights	FL6L2D	6	Superbright LED	12lm	2 x D	Plastic	Yellow	✓
	Multi-Head LED Classic Flashlights	FL3L2AA	3	Superbright LED	6lm	2 x AA	Plastic	Yellow	✓

100,000
Hours
LED
Life Time



FL6L2D

Up to
180 Hrs
Continuous use

6LED



FL6L2D2R20P



FL3L2AA

Up to
35 Hrs
Continuous use

3LED



FL3L2AA2R6P



Pack. Picture	Name	Item#	Packaging Type	Included Batteries	Packaging Details										
					Blister/Box Details				Outer Carton Details						
					Dimensions (mm)			Net Weight (g)	Packs/ Carton	Dimensions (cm)			Volume (M ³)	Gross Weight (Kg)	Net Weight (kg)
L Length	W Width	D Depth	L Length	W Width	D Depth										
	Multi-Head LED Classic Flashlights	FL6L2D2R20P	Blister Pack	2 x R20P	264	144	40	285	24	55.5	42.5	18.5	0.0436	8.3	7.4
	Multi-Head LED Classic Flashlights	FL3L2AA2R6P	Blister Pack	2 x R6P	210	98	30	87	60	40	30	23	0.0276	5.8	5.2

SuperBright™ Searchlamps

LED Search lamps for Home or Outdoor Use



Multi-head LED Search lamps

- **Powerful** Lights distances up to 150 meters*
- **Cloverleaf Reflector System** for maximum focus and intensity
- **Energy Saving LEDs** up to 5 times brighter, 8 times more efficient than regular krypton bulbs*
- **Long Service Life** Up to 500 hours continuous lighting*
- **Never Replace LEDs** 100,000h LED lifetime
- **Handy Grip** with hooks, anti-roll design

Best for:

- Indoor and/or outdoor use
- Military, security, campus, factory, emergency kits
- Vehicle use, garages, auto service use
- Handy for camping, travel, fishing

*Camelion 2009 Lab Tests. Performance subject to battery (alkaline), temperature and ambient lighting conditions.

Product Picture	Name	Model #	Specifications						
			LEDs	LED Type	Lumens	Battery Mode	Body Material	Available Colors	Water Resistant
	Multi-Head LED Search lamps	FL-16LED	16	Super Bright LED	32lm	4 x D/ 1 x 4R25	Plastic	Yellow	✓
	Multi-Head LED Search lamps	FL-9LED	9	Super Bright LED	18lm	4 x AA	Plastic	Yellow Blue	✓

FL-16LED

16LED

Up to
500 Hrs
Continuous use



CE



FL-16LED-4R20PCB
4 260033 1155504

FL-9LED

9LED

Up to
150 Hrs
Continuous use



CE



FL-9LED-4R6P
4 260033 1155481

Packaging Details

Pack. Picture	Name	Item#	Packaging Type	Included Batteries	Blister/Box Details			Net Weight (g)	Packs/ Carton	Outer Carton Details					
					Dimensions (mm)					L	W	D	Volume (M³)	Gross Weight (Kg)	Net Weight (kg)
					L Length	W Width	D Depth								
	Multi-Head LED Search lamps	FL-16LED-4-R20PCB	Box	—	250	123	135	708	12	52	39	30	0.0608	10.6	9.6
	Multi-Head LED Search lamps	FL-9LED-4R6P	Shrink pack	4 x R6P	100	146	110	278	36	59	54	24	0.0765	12.0	10

SuperBright™ Flashlights

Budget Flashlights for Everyday Use



Classic Flashlights

- Super bright and replaceable LED bulb
- 35 lumens of light
- Long battery service life
- Many Color Options

Best for:

- Indoor & outdoor usage
- Household use

Product Picture	Name	Model #	Specifications					
			Bulb Type	Lumens	Battery Mode	Body Material	Available Colors	Water Resistant
	Classic Flashlights	FL1L2D	LED	35lm	2 x D	Plastic	<div style="display: flex; flex-direction: column; gap: 2px;"> ■ Red ■ Yellow ■ Blue ■ Black </div>	✗
	Classic Flashlights	FL1L2C	LED	35lm	2 x C	Plastic	<div style="display: flex; flex-direction: column; gap: 2px;"> ■ Red ■ Yellow ■ Blue ■ Black </div>	✗
	Classic Flashlights	FL1L2AA	LED	35lm	2 x AA	Plastic	<div style="display: flex; flex-direction: column; gap: 2px;"> ■ Red ■ Yellow ■ Blue ■ Black </div>	✗

FL1L2D

1 LED



FL1L2D2R20P
4 260033 155542



FL1L2DD12
4 260033 155610

FL1L2C

1 LED



FL1L2C2R14P
4 260216 454677

FL1L2AA

1 LED



FL1L2AA2R6P
4 260033 155566



FL1L2AAD24
4 260033 155603

Pack. Picture	Name	Item#	Packaging Type	Included Batteries	Packaging Details										
					Blister/Box Details				Outer Carton Details						
					Dimensions (mm)			Net Weight (g)	Packs/ Carton	Dimensions (cm)			Volume (M ³)	Gross Weight (Kg)	Net Weight (kg)
L	W	D	Length	Width	Depth	Length	Width	Depth	Length	Width	Depth	Length	Width	Depth	
	Classic Flashlights	FL1L2DB2R20P	Blister Pack	2 x R20P	292	158	64	312	24	46	31.5	31	0.0449	9.0	7.5
		FL1L2DD12	Display boxr	—	250	188	195	1332	4	51.5	40	21.5	0.0443	7.0	5.3
	Classic Flashlights	FL1L2CB2R14P	Blister Pack	2 x R14P	240	131	50	170	24	47	26	20	0.0244	4.1	5.0
	Classic Flashlights	FL1L2AAB2R6P	Blister Pack	2 x R6P	211	99	38	84	60	40	30	23	0.0276	6.0	5.3
		FL1L2AAD24	Display boxr	—	230	154	150	1116	8	48	33	32.5	0.0515	10.5	8.9

Penlight Flashlights

An Elegant Gift and a Handy Tool



- Powerful Spot Beam
- Durable Aircraft Aluminum
- Strong Pocket Clip
- Push Button Switch

Best for:

- Useful tool for doctors
- Elegant, fashionable gift
- Great for hard to reach recesses and gaps

Product Picture	Name	Model #	Specifications					
			LED	Voltage/Ampere	Battery Mode	Body Material	Available Colors	Water Resistant
	Penlight Flashlight	DL2AAAS	1	2.2V/250mA	2AAA	Aircraft aluminum		X

DL2AAAS



Pack. Picture	Name	Item#	Packaging Type	Included Batteries	Packaging Details										
					Blister/Box Details				Outer Carton Details						
					Dimensions (mm)			Net Weight (g)	Packs/ Carton	Dimensions (cm)			Volume (M ³)	Gross Weight (Kg)	Net Weight (kg)
L	W	D	Length	Width	Depth	Length	Width	Depth	Length	Width	Depth	Length	Width	Depth	
	Penlight Flashlight	DL2AAAS	Blister Pack	2 x R03P	200	155	115	56	100	48.5	39.0	25.0	0.0479	5.6	7.0

CT-Series LED Flashlights



High grade aluminium flashlight with maximum illumination

- High Performance Chip Module SMD Technology
- Unbreakable Anodized Aluminium Alloy
- Ultra-High Luminosity

- Best for:**
- Security, police, military, emergency response
 - Ideal for work, outdoor and general purpose activities

Product Picture	Name	Model #	Specifications						
			LEDs	LED Type	Lumens	Battery Mode	Body Material	Available Colors	Water Resistant
	3 Watt Flashlight with S.O.S. Function	CT4002	1	High-power-chip SMD Technology	120lm	3 x AAA	Aluminium	Black	✗
	9 LED Flashlight	CT4004	9	LED Technology	120lm	3 x AAA	Aluminium	Black Silver	✗
	30 LED Flashlight	CT4005	30	LED Technology	120lm	2 x D	Aluminium	Black	✗
	3 Watt Flashlight	CT4010	1	High-power-chip SMD Technology	130lm	3 x AAA	Aluminium	Silver	✗

CT4002

3 Watt LED



CE



CT4004

9 LED



CE



CT4005

30 LED



CE



CT4010

3 Watt LED



CE



Pack. Picture	Name	Item#	Packaging Type	Included Batteries	Packaging Details										
					Blister/Box Details				Outer Carton Details						
					Dimensions (mm)			Net Weight (g)	Packs/ Carton	Dimensions (cm)			Volume (M ³)	Gross Weight (Kg)	Net Weight (kg)
L Length	W Width	D Depth	L Length	W Width	D Depth										
	3 Watt Flashlight with S.O.S. Function	CT4002	Double blister	3 x LR03	244	123	40	191.6	120	51	38	56	0.1085	20	19
	9 LED Flashlight	CT4004	Double blister	3 x LR03	244	123	40	149.9	120	51	38	56	0.1085	20	19
	30 LED Flashlight	CT4005	Double blister	—	345	180	60	397.3	40	74	45	30.5	0.1016	17	16
	3 Watt Flashlight	CT4010	Double blister	3 x LR03	242	121	35	153.8	120	51	38	56	0.1085	20	19

CT-Series LED Flashlights

Best Lighting for Outdoors



LED Lantern

Key Features	Solar Lantern	1 Watt Table Lantern
Lighting Mode	100 % / 50 %	100 % / 50 % /Flashing
Long Life Use	3 h	17 h
Key Applications	Outdoors, Camping,Travel	

- Effective Lighting
- LED Technology provides outstanding illumination and high efficiency
- Handy Easy grip, adjustable handle with hook
- Rubber booting push switch

3 Watt Headlight

- High Performance Chip Module SMD Technology
- Low Power Consumption
- Ultra-High Luminosity
- 3 different LED mode

Best for:
Camping, Outdoors, Caving

2+1 LED Solar Keychain

- 3 LEDs (2 LEDs for light, 1 LED as money detector)
- Solar Panel collects not only energy by UV light, but also by warm white room light

Best for:
general use

Product Picture	Name	Model #	Specifications						
			LEDs	LED Type	Lumens	Battery Mode	Body Material	Available Colors	Water Resistant
	36 LED Solar Lantern	Solar Lantern	36	LED Technology	up to 100lm	4 x D / inbuild rechargeable battery	Rubberized Aluminium	Black	✗
	1 Watt LED Table Lantern	CT4008	1	High-power-chip SMD Technology	70lm	4 x AA	Rubberized Aluminium	Black	✗
	3 Watt LED Headlight	CT4007	1	High-power-chip SMD Technology	130lm	3 x AAA	Plastic	Black	✗
	2+1 LED Solar Keychain	CT4011	3	LED Technology	50lm	1 x LIR2032	Plastic	Black	✗

Solar Lantern

36 LED



Solar Lantern

4 260030 255474

CT4008

1 Watt Table Lantern




CT4008

4 260030 255771

CT4007

3 Watt Headlight



CT4007

4 260030 255764

CT4011

2+1 LED Solar Keychain



CT4011

4 260030 255801

Pack. Picture	Name	Item#	Packaging Type	Included Batteries	Packaging Details										
					Blister/Box Details				Outer Carton Details						
					Dimensions (mm)			Net Weight (g)	Packs/ Carton	Dimensions (cm)			Volume (M ³)	Gross Weight (Kg)	Net Weight (kg)
L	W	D	Length	Width	Depth	Length	Width	Depth	Length	Width	Depth	Length	Width	Depth	
	36 LED Solar Lantern	Solar Lantern	Hardbox	—	265	140	140	681.7	24	57.5	43.5	37.5	0.0938	23	20
	1 Watt LED Table Lantern	CT4008	Double blister	—	242	123	50	164.7	100	57	54.5	36	0.1119	21.5	18.5
	3 Watt LED Headlight	CT4007	Double blister	3 x LR03	245	125	100	150.5	100	52	38	58.5	0.1156	15.5	13.5
	2+1 LED Solar Keychain	CT4011	Double blister	1 x LIR2032	162	105	18	32.2	240	53.5	36.5	38.5	0.0752	10.5	9.5

Flashlights Replacement Bulbs

LED



Specifications

Model No.	Lamp Type	Voltage (V)	Current (mA)	Power (W)	Luminous Flux (lm)	Color Temperature (K)	Base Type	Average Life (hrs)	Battery Type
BL304 WN	LED Flashlight Bulb	3.0	130	0.4	30	6000-8000 (Cool White)	P 13.5S	10,000	2x(AA/AAA/D/C)
BL406 WN	LED Flashlight Bulb	4.5	130	0.6	38	6000-8000 (Cool White)	P 13.5S	10,000	3x(AA/AAA/D/C) 3LR12,3R12
BL608 WN	LED Flashlight Bulb	6.0	130	0.8	42	6000-8000 (Cool White)	P 13.5S	10,000	4x(AA/AAA/D/C), 4R25

Packaging Details

Pack. Picture	Name	Item #	Packaging Type	Blister/Box Details									Outer Carton Details		
				Dimensions (mm)			Net Weight (g)	Packs/ Carton	Dimensions (cm)			Volume (M³)	Gross Weight (Kg)	Net Weight (kg)	
				L Length	W Width	D Depth			L Length	W Width	D Depth				
	LED Replacement Bulbs	BL304WN-BP1	Blister Pack	92	55	14	6	480	30.5	30	24.8	0.0227	4.4	2.4	
		BL406WN-BP1		92	55	14	6	480	30.5	30	24.8	0.0227	4.4	2.4	
		BL608WN-BP1		92	55	14	6	480	30.5	30	24.8	0.0227	4.4	2.4	

Vacuum and Krypton



Specifications

Model Number	Technology	Amperage	Voltage	Bulb/Socket/ Brightness	Av. Life (Hrs)
BV2/50P-BP2	Vacuum	0.50A	2.4 V	Prefocused/ Flange (P13.5S)/ 0.910	15
BV3/50P-BP2	Vacuum	0.50A	3.6 V	Prefocused/ Flange (P13.5S)/ 1.700	15
BK2/70P-BP2	Krypton	0.70A	2.4 V	Prefocused/ Flange (P13.5S)/ 1.300	20
BK3/50P-BP2	Krypton	0.50A	3.6 V	Prefocused/ Flange (P13.5S)/ 1.200	50
BK3/75P-BP2	Krypton	0.75A	3.6 V	Prefocused/ Flange (P13.5S)/ 2.650	25
BK4/75P-BP2	Krypton	0.75A	4.8 V	Prefocused/ Flange (P13.5S)/ 4.500	25

Packaging Details

Pack. Picture	Name	Item #	Packaging Type	Blister/Box Details				Outer Carton Details						
				Dimensions (mm)			Net Weight (g)	Packs/ Carton	Dimensions (cm)			Volume (M³)	Gross Weight (Kg)	Net Weight (kg)
				L Length	W Width	D Depth			L Length	W Width	D Depth			
	Flashlight Bulbs	BV2/50P-BP2	Blister Pack	114	84	14	10	480	36.5	36.5	34	0.0453	7.0	5.0
		BK2/70P-BP2		114	84	14	10	480	36.5	36.5	34	0.0453	7.0	5.0
		BV3/50P-BP2		114	84	14	10	480	36.5	36.5	34	0.0453	7.0	5.0
		BK3/50P-BP2		114	84	14	10	480	36.5	36.5	34	0.0453	7.0	5.0
		BK3/75P-BP2		114	84	14	10	480	36.5	36.5	34	0.0453	7.0	5.0
		BK4/75P-BP2		114	84	14	10	480	36.5	36.5	34	0.0453	7.0	5.0

Promotional Accessories

Sales Promotional Material

Maximum Impact, Minimum Space, Optimal Sales

When you want your Camelion products to have maximum impact you need optimal POP promotional material.

For the latest sales accessories and premiums please contact us at info@camelion.com



WCD-02 WCD-03 WCD-05

Metal Counter Display

- WCD-02: 33 x 43 x 22cm (6 hooks)
- WCD-03: 33 x 58 x 22cm (9 hooks)
- WCD-05: 44 x 66 x 20cm (12 hook)
- Sturdy steel construction for long use
- Easy to see, easy to reach
- Light weight for easy portability
- Available in Metal Black



WCD-06

Metal Counter Display

- 10 Racks 20 hooks L = 12,5cm
- Simple and lightweight design
- Dimensions: 35(L) x 35(W) x 160(H)cm

- Qty for Each Hook:**
 AAA Size: 10packs
 AA Size: 7packs
 9V Size: 6packs
 C Size: 5packs
 D Size: 4packs



Metal Counter Display

MFD-02

- Use metal racks to expand each peg
- Professional slim and elegant design
- Rugged steel construction for long life
- Easy assembly by interlocking joints, no screws or hammers (Instructions included)
- W x H x D: 46 x 70 x 26cm



Metal Floor Display

MFD-03

- Up to 300-400 peg holes (ideally holds 20-30 large/medium size packages)
- Use metal racks to expand each peg
- Professional slim and elegant design
- Rugged steel construction for long life
- Easy assembly by interlocking joints, no screws or hammers (Instructions included)
- W x H x D: 180 x 34 x 60,5cm



Metal Floor Display

MFD-06

Rugged steel construction for long life

With this display you present your Camelion products appealing and clear. The lightly curved floor display focusses attention directly to the product assortment, and moreover emphasizes the Camelion brand - a major boost for a positive purchase decision.
 B x H x T: 107 x 177 x 33cm



HW-01 HW-04 HW-05 HW-06

4 Metal Hook Racks

HW-01

- W x H x D: 10x75x8cm

12 Clear Plastic Hook Racks

HW-04

- W x H: 7.5x62cm

12 White Plastic Hook Racks

HW-05

- W x H: 6.2x77.5cm

12 Black Plastic Hook Racks

HW-06

- W x H: 84x11.3cm



Aisle Display Box

DR-05

The new display rack is designed to make items easier to reach and retrieve. You can order different kinds of batteries according to your sales. It is easy for transportation and set up in the store and supermarket. It also uses some new branding elements like Mr Camelion.

- Use of informative images
- Clear Branding
- Light, durable materials
- Easy to place and retrieve items
- Clear Messages
- W x H x D: 36.5x137x44cm



Desktop Acrylic Display Stand

ADS-01

- Compact Size suitable on the shelf or near the cashier
- 15 Flexible hooks for different series of products (hook: L=5cm)
- Dimensions (L*W*H mm): 490*350*130(*8 Depth) 75°
- Elegant design : Economical and versatile
- Durable and light : Made by acrylic material

Six Options:



DR-11 DR-12

Battery Aisle Display Box

- Battery shaped floorstand trigger and strengthen brand recognition
- Brand space maximized through strong printed graphics
- Strong structural integrity for easy moving
- Ideal for most retail markets placement
- DR-11: 160x65cm.
- DR-12: 70x32cm.



SPK-01 SPK-02

The AlwaysReady and Digi Alkaline Speaker

The AlwaysReady and Digi Alkaline Speaker deliver impressive volume and clarity, it is small enough to fit in your pocket and uses a standard headphone jack to connect to your music device, ideally effortless amplify your favorite tunes via any iPhone, iPod, MP3/4 player, Smartphone, or laptop.



Caps

C-01

Comfortable golf caps with all-size fits design, in trendy corporate colors.



Wristband

WB-01



Non Woven Fiber

HB-03



Non Woven Bag

HB-04

• Material: fiber
• W x H x D: 38x34x10cm



Plastic

HB-05

• W x H x D: 30x38x6cm



Promotional Tote Bag

HB-06

• Material: fiber
• W x H x D: 38x34x12cm



Balloon Pop Up

AIRB-01



Promotion Bag

(Transparent)

PTB-01

• W x H : 13x20cm



Ball Pen

PAN-03B

PAN-03R



Gel Pen with Rubber Coated

PAN-02



PB-03

PB-04

Memo Post It

• W x H: 41.5 x 58 cm



AlwaysReady Poster

POSTER-AR

• W x H: 41.5x58cm



Notebook

PM-07G

• Spiral bound
• Durable plastic front and back
• Includes 6 Page color product brochure
• W x H: 17x19cm



AlwaysReady Leaflet

LFLT-AR

• LFLT-AlwaysReady
• W x H: 14x21cm



Posters

Our sales literature and marketing materials are created to bring out the benefits of Camelion products.

- Professionally produced and designed
- Simple and powerful messages
- Useful information
- Designed with the end-user in mind
- W x H: 39x57cm



X Banner Stand

Available :
Charger and Battery banners

• W x H: 80x180cm



Retractable Roll Up Banner Stand

Available : Charger and Battery banners

• W x H: 80x200cm



Supermarket Banner

Model: SMB-LI/SMB-DA/SMB-PA/SMB-AR/SMB-NH

- This banner is suitable for Supermarkets, retail stores, malls, etc.
- It is excellent advertisement for Camelion Brand.
- W x H: 45 x 60 cm



Floor Sticker

Model: FG-LI/FG-DA/FG-PA/FG-AR/FG-NH

- The floor sticker is abrasion resistance and durable.
- Can be used in the lobby, supermarket's aisles, shopping malls, or any public place.
- W x H: 150 x 110 cm, 110 x 80 cm, 80 x 60 cm



Step Stickers

- This announcement can be used in the steps of supermarkets, shopping malls and many other places.
- W x H: 200 x 16 cm